

## STREET BREAK PERMIT CONDITIONS

1	STREET BREAK- 001	The applicant shall comply with the applicable sections of Title 8, 12, 14, and 15 of the City of Yakima Municipal Code, applicable City of Yakima Standard Details, and the applicant provisions denoted below.	N	Y	N
2	STREET BREAK- 002	Applicant shall be responsible for all costs and expenses incident to the performing of this work and will also be responsible for any loss or damage that may be directly caused by the performing of this work.	N	Y	N
3	STREET BREAK- 003	A copy of this permit shall be kept in the possession of the person performing this work.	N	Y	N
4	STREET BREAK- 004	The Applicant shall maintain the required Insurance forms and certificates for the entire time that any work is performed subject to this Permit			
5	STREET BREAK- 005	Open cuts in streets shall be filled, compacted and patched by the Permittee within 48 hours after completion of utility work, unless the inspector agrees, in advance, to a longer time period.	N	Y	N
6	STREET BREAK- 006	The contractor shall furnish and maintain signs, barricades, lights, flares or any other appurtenance necessary to protect the public or when directed by the Street Inspector in accordance with the MUTCD, Sec. VI.	N	Y	N
7	STREET BREAK- 007	All work shall be performed to the satisfaction of the City Engineer. If said work is not completed or approved the City Engineer may hire the work done and the applicant shall pay all costs, in full.	N	Y	N
8	STREET BREAK- 008	This permit is valid for 180 calendar days from date of issue.	N	Y	N
9	STREET BREAK- 009	The responsible party shall insure that the street break inspector is notified three working days in advance of starting work and keep the inspector informed on the progress of work so inspections can be made. Work accomplished without proper notification shall be redone with proper inspection.	N	Y	N

## STREET BREAK PERMIT CONDITIONS

10	STREET BREAK- 010	Sidewalk & driveway approaches may be removed & installed by the property owner, following all City specifications. A fully licensed contractor must do any work involving the roadway or curb and gutter.	N	Y	N
11	STREET BREAK- 011	Backfill around or under infrastructure shall be 100% select (5/8 minus) full depth of trench and compact to 95% of ASTM 1557. Compaction shall be mechanical, no water settling shall be allowed.	N	Y	N
12	STREET BREAK- 012	Driveway location shall be as limited by YMC 15.06.065	N	Y	N
13	STREET BREAK- 013	If applicant proposes to restrict the traffic to any section of street or alley, the applicant is required to complete and submit for review/approval and adhere to a Temporary Right of Way Use form and discuss traffic control issues with the Street Inspector.	N	Y	N