

PART 1 - Project Information

Job Address:\_\_\_\_\_

### **COMMUNITY DEVELOPMENT DEPARTMENT**

Code Administration Division 129 North Second Street, 2nd Floor Yakima, Washington 98901 (509) 575-6126 • Fax (509) 576-6576 codes@yakimawa.gov • www.buildingyakima.com

## FIRE SPRINKLER PERMIT APPLICATION

Parcel Number:\_\_\_\_\_

Permit#	_
☐ Yes ☐ No	
# of Stories:	
em? □ Yes □ No □ Yes □ No	
Li res Li No	
th Floor	
me as Contact Person 🗆 )	
·····	-
Plans	
Engineer: □	

Project Description:				
Estimated and of the work to be performed (	materials and labor). Č			
estimated cost of the work to be performed (r	materials and labor): \$			
PART 2 - Building Information				
Building Use: ☐ Residential ☐ Com	_			
Construction Type:	# of Units: # of Stories:			
Existing Fire Sprinkler System? $\Box$ Yes $\Box$	No <b>New Fire Sprinkler System?</b> ☐ Yes ☐ No			
Fire Sprinkler System Required? $\Box$ Yes $\Box$	No <b>Non-Required System?</b> □ Yes □ No			
Square footages:				
1 <sup>st</sup> floor 2 <sup>nd</sup> floor	3 <sup>rd</sup> floor 4 <sup>th</sup> Floor			
PART 3 - Contact Information				
Applicant/Primary Contact	Property Owner (Same as Contact Person □ )			
Company:	Name:			
	Address:			
Address:	City/State/Zip:			
City/State/Zip:	Phone Number:			
Phone Number:	Email:			
Email:				
<b>Contractor</b> (Same as Applicant □ )	Designer of Working Plans			
Name:	Architect:  Engineer:			
Address:	Name:			
City/State/Zip:	Address:			
Phone Number:				
Email:	Phone Number:			
State Contr. Lic.#Exp				
	NICET #:			



Code Administration Division 129 North Second Street, 2nd Floor Yakima, Washington 98901 (509) 575-6126 • Fax (509) 576-6576 codes@yakimawa.gov • www.buildingyakima.com

## FIRE SPRINKLER PERMIT APPLICATION (CONT'D)

# PART 4 - Working Plan Requirements per NFPA Chapter 13

(check box and skip this checklist if sprinkler installation is low-rise residential occupancies  $\square$  )

<u>INSTRUCTIONS</u>: Working plans shall be drawn to an indicated scale, on sheets of uniform size, with a plan of each floor, and shall show those items from the list below that pertain to the design of the system. Please read and check off each item that is included in the working plans. For any items in the checklist below that are NOT included in the working plans, an explanation of how the requirement does not apply to this project MUST be outlined in the application project description field.

of now the requirement does not apply to this project MUST be outlined in the application project description field.
$\square$ 1. Name of owner and occupant.
☐ 2. Location, including street address.
☐ 3. Point of compass.
$\square$ 4. Full height cross section or schematic diagram, including structural member information if required for clarity and
including ceiling construction and method of protection for nonmetallic piping.
☐ 5. Location of partitions.
$\square$ 6. Location of fire walls.
$\square$ 7. Occupancy class of each area or room.
$\square$ 8. Location and size of concealed spaces, closets, attics, and bathrooms.
$\square$ 9. Any small enclosures in which no sprinklers are to be installed.
$\square$ 10. Size of city main in street and whether dead end or circulating; if dead end, direction and distance to nearest
circulating main; and city main test results and system elevation relative to test hydrant.
$\square$ 11. Other sources of water supply, with pressure or elevation.
$\square$ 12. Make, type, model, and nominal K-factor of sprinklers, including sprinkler identification number.
$\square$ 13. Temperature rating and location of high-temperature sprinklers.
$\square$ 14. Total area protected by each system on each floor.
$\square$ 15. Number of sprinklers on each riser per floor.
$\square$ 16. Total number of sprinklers on each dry pipe system, preaction system, combined dry pipe–preaction system, or deluged
system.
$\square$ 17. Approximate capacity in gallons of each dry pipe system.
$\square$ 18. Pipe type and schedule of wall thickness.
$\square$ 19. Nominal pipe size and cutting lengths of pipe (or center-to-center dimensions). Where typical branch lines prevail, it
shall be necessary to size only one typical line.
$\square$ 20. Location <b>and</b> size of riser nipples.
$\square$ 21. Type of fittings and joints and location of all welds and bends. The contractor shall specify on drawing any sections to
be shop welded and the type of fittings or formations to be used.
$\square$ 22. Type and locations of hangers, sleeves, braces, and methods of securing sprinklers when applicable.
$\square$ 23. All control valves, check valves, drain pipes, and test connections.
$\square$ 24. Make, type, model, and size of alarm or dry pipe valve.
$\square$ 25. Make, type, model, and size of preaction or deluge valve.
$\square$ 26. Kind and location of alarm bells.
77 Size and location of standnine risers, hose outlets, hand hose, monitor nozzles, and related equipment



Code Administration Division 129 North Second Street, 2nd Floor Yakima, Washington 98901 (509) 575-6126 • Fax (509) 576-6576 codes@yakimawa.gov • www.buildingyakima.com

## FIRE SPRINKLER PERMIT APPLICATION (CONT'D)

# PART 4 - Working Plan Requirements per NFPA Chapter 13 (Cont'd)

Signature	Print Name	Date
* **	of this application are true and correct to the best one of how any items in Part 4 that are not checked on	_
☐ 46. Edition year of NFPA 13 to which the spi	rinkler system is designed.	
☐ 45. Ceiling/roof heights and slopes not show		
$\square$ 44. Size, location, and piping arrangement of	f fire department connections.	
residual hydrants that were used in flow	tests shall be shown.	
gate valves. Whether hose houses and e	equipment are to be provided, and by whom, shall l	be indicated. Static and
$\hfill \Box$ 43. Size and location of hydrants showing si	ze and number of outlets and if outlets are to be e	quipped with independent
$\square$ 42. Information about listed antifreeze solu	tion used (type and amount).	
$\square$ 41. Information about backflow preventers	(manufacturer, size, type).	
☐ 40. The setting for pressure-reducing valves	;.	
☐ 39. Calculation of loads for sizing and details	s of sway bracing.	
	otected wall openings throughout the floor protect	ed.
☐ 37. Relative elevations of sprinklers, junction	·	,
	sure required noted at a common reference point	
	required for hose streams both inside and outside	
	(density or flow or discharge pressure), the design	area of water application,
calculation sheets.		pomice on anomy and and
	e plan that correspond with comparable reference	points on the hydraulic
☐ 33. Name and address of contractor.	cu on an plans.	
☐ 32. A graphic representation of the scale us		
☐ 31. For hydraulically designed systems, the		
on the plans to make all conditions clear		existing system mulcated
29. Piping provisions for flushing.	as an addition to an existing system, enough of the	avieting evetam indicated
laid below grade.		
	regulators, meters, and valve pits; and the depth t	hat the top of the pipe is
	ocations, weights, materials, point of connection to	



Code Administration Division 129 North Second Street, 2nd Floor Yakima, Washington 98901 (509) 575-6126 • Fax (509) 576-6576 codes@yakimawa.gov • www.buildingyakima.com

### FIRE SPRINKLER PERMIT APPLICATION (CONT'D)

### PART 5 - Working Plan Requirements per NFPA Chapter 13R

(check box and skip this checklist if sprinkler installation is NOT for low-rise residential occupancies  $\square$ )

<u>INSTRUCTIONS</u>: Working plans shall be drawn to an indicated scale, on sheets of uniform size, with a plan of each floor, and shall show those items from the list below that pertain to the design of the system. Please read and check off each item that is included in the working plans. For any items in the checklist below that are NOT included in the working plans, an explanation of how the requirement does not apply to this project MUST be outlined in the application project description field.

☐ 1. Project name
☐ 2. Location, including street address
☐ 3. Point of compass.
☐ 4. Ceiling construction
☐ 5. Full height cross-section or schematic diagram, including structural member information if required for clarity and
including ceiling construction and method of protection for nonmetallic piping
$\square$ 6. Ceiling/roof height and slopes not shown in the full height cross section
$\square$ 7. Location of partitions and fire walls
$\square$ 8. Location and size of concealed spaces, attics, closets, and bathrooms
$\square$ 9. Any small enclosures in which no sprinklers are to be installed
$\square$ 10. Size of the city main in the street and the city main test results including elevation of the test hydrant
$\square$ 11. Make, manufacturer, type, temperature rating, sprinkler identification number, and nominal k-factor of the
sprinkler
$\square$ 12. Type and location of high-temperature sprinklers
$\square$ 13. Number of sprinklers on each riser, per floor
$\square$ 14. Type and location of alarm bells
$\square$ 15. Type of pipe and fittings
$\square$ 16. Pipe type and schedule of wall thickness
$\square$ 17. Type of protection for nonmetallic pipe
$\square$ 18. Location and size of riser nipples
$\square$ 19. Types of fittings and joints and the locations of all welds and bends
$\square$ 20. Types and locations of hangers, sleeves, and braces, and methods of securing sprinklers, where applicable
$\square$ 21. All control valves, check valves, drain pipes, and test connections
$\square$ 22. Underground pipe size, length, location, weight, material, and point of connection to the city main; type of valves,
meters, and valve pits; and depth at which the top of the pipe is laid below grade
$\square$ 23. Name and address of the contractor
$\square$ 24. Nominal pipe size and lengths
$\square$ 25. Where the equipment is to be installed as an addition to an existing system, enough of the existing system
indicated on the plans to make all conditions clear
☐ 26. A graphic representation of the scale used on all plans



Code Administration Division 129 North Second Street, 2nd Floor Yakima, Washington 98901 (509) 575-6126 • Fax (509) 576-6576 codes@yakimawa.gov • www.buildingyakima.com

# PART 5 - Working Plan Requirements per NFPA Chapter 13R (Cont'd)

Signature	Print Name	Date		
I hereby certify under penalty of perjury of the Lo and know that the information contained herein is me in any way to violate or cancel any of the prov of construction sought under this permit.	s true and correct. I understand that the granti	ng of a permit does not authorize		
☐ I am <b>EXEMPT</b> from the requirements of the Co and conditions of the exemption as stated. I w specialized contractors in connection with the	ill do all of my own work or use all registered	and licensed contractors and/or		
☐ I am an <b>AUTHORIZED AGENT</b> of the property of contractor or specialty contractor as defined work sought by this permit.	under RCW 18.27.010 and 18.27.110 and is	legally qualified to perform the		
□ I am a <b>CONTRACTOR</b> or SPECIALTY CONTRACTOR and 18.27.110 and am legally qualified to perf		as defined under RCW 18.27.010		
I hereby certify that ( <mark>please select one</mark> ):				
PART 6 — Declaration				
Signature	Print Name	Date		
I hereby certify that the items checked in Part 5 of application project description includes an outline working plans do not apply to this project.				
$\square$ 37. Edition year of NFPA 13R to which the spi	inkler system is designed			
$\hfill\square$ 36. Location of closets on exterior balconies,	and any doors or penetration between the clo	oset and the dwelling unit		
$\square$ 35. Location of fuel-fired equipment and hear	ing and air-conditioning equipment			
$\hfill\square$ 34. Size, location, and piping arrangement of	fire department connections			
flow tests shall be shown	,	,		
☐ 33. Size and location of hydrants, showing siz		ydrants that were used in		
☐ 32. Information about backnow preventers (i				
<ul><li>□ 30. Relative elevations of sprinklers, junction</li><li>□ 31. Information about backflow preventers (</li></ul>				
29. The total quantity of water and the pressi		oint for each system		
	The minimum rate of water application and the design area of water application			
calculation sheets	out that correspond with comparable referen	the points on the Hydradile		
27. Hydraulie reference points shown on the	plan that correspond with comparable refere	nce points on the hydraulic		