

COMMUNITY DEVELOPMENT DEPARTMENT

Code Administration Division 129 North Second Street, 2nd Floor Yakima, Washington 98901 (509) 575-6126 • Fax (509) 576-6576 codes@yakimawa.gov • www.buildingyakima.com

FIRE SPRINKLER PERMIT APPLICATION

ORPORATED 18	
FIRE SPR	INKLER PERMIT APPLICATION Permit#
PART 1 - Project Information	
Job Address:	Parcel Number:
Estimated cost of the work to be perform	ned (materials and labor): \$
PART 2 - Building Information	
-	Commercial Change of Use? ☐ Yes ☐ No
	# of Units: # of Stories:
Existing fire sprinkler system?	
	required system
Square footages:	equired system — Hon required (voluntary) system
•	3 rd floor 4 th Floor
PART 3 - Contact Information	
Applicant/Primary Contact	Property Owner (Same as Contact Person □)
	Name:
Primary Contact:	Address:
Address:	City/State/Zip:
City/State/Zip:	Phone Number:
Phone Number:	Email:
Email:	
Contractor (Same as Applicant □)	Designer of Working Plans
Name:	Architect: Engineer:
Address:	Name:
City/State/Zip:	
Phone Number:	

Square footages: 1st floor 2nd floor	3 rd floor 4 th Floor
PART 3 - Contact Information	
Applicant/Primary Contact	Property Owner (Same as Contact Person □)
Company:	Name:
Primary Contact:	Address:
Address:	City/State/Zip:
City/State/Zip:	Phone Number:
Phone Number:	
Email:	
Contractor (Same as Applicant □)	Designer of Working Plans
Name:	Architect: ☐ Engineer: ☐
Address:	Name:
City/State/Zip:	Address:
Phone Number:	
Email:	
State Contr. Lic.#Exp	
	NICET #:



Code Administration Division 129 North Second Street, 2nd Floor Yakima, Washington 98901 (509) 575-6126 • Fax (509) 576-6576 codes@yakimawa.gov • www.buildingyakima.com

FIRE SPRINKLER PERMIT APPLICATION (CONT'D)

PART 4 - Working Plan Requirements per NFPA Chapter 13

(check box and skip this checklist if sprinkler installation is low-rise residential occupancies \square)

<u>INSTRUCTIONS</u>: Working plans shall be drawn to an indicated scale, on sheets of uniform size, with a plan of each floor, and shall show those items from the list below that pertain to the design of the system. Please read and check off each item that is included in the working plans. For any items in the checklist below that are NOT included in the working plans, an explanation of how the requirement does not apply to this project MUST be outlined in the application project description field.

of how the requirement does not apply to this project MUST be outlined in the application project description field.
\square 1. Name of owner and occupant.
☐ 2. Location, including street address.
☐ 3. Point of compass.
☐ 4. Full height cross section or schematic diagram, including structural member information if required for clarity and
including ceiling construction and method of protection for nonmetallic piping.
☐ 5. Location of partitions.
\square 6. Location of fire walls.
☐ 7. Occupancy class of each area or room.
\square 8. Location and size of concealed spaces, closets, attics, and bathrooms.
\square 9. Any small enclosures in which no sprinklers are to be installed.
\square 10. Size of city main in street and whether dead end or circulating; if dead end, direction and distance to nearest
circulating main; and city main test results and system elevation relative to test hydrant.
\square 11. Other sources of water supply, with pressure or elevation.
\square 12. Make, type, model, and nominal K-factor of sprinklers, including sprinkler identification number.
\square 13. Temperature rating and location of high-temperature sprinklers.
\square 14. Total area protected by each system on each floor.
\square 15. Number of sprinklers on each riser per floor.
\square 16. Total number of sprinklers on each dry pipe system, preaction system, combined dry pipe-preaction system, or delugation system, combined dry pipe-preaction
system.
\square 17. Approximate capacity in gallons of each dry pipe system.
\square 18. Pipe type and schedule of wall thickness.
\square 19. Nominal pipe size and cutting lengths of pipe (or center-to-center dimensions). Where typical branch lines prevail, it
shall be necessary to size only one typical line.
\square 20. Location and size of riser nipples.
\square 21. Type of fittings and joints and location of all welds and bends. The contractor shall specify on drawing any sections to
be shop welded and the type of fittings or formations to be used.
\square 22. Type and locations of hangers, sleeves, braces, and methods of securing sprinklers when applicable.
\square 23. All control valves, check valves, drain pipes, and test connections.
\square 24. Make, type, model, and size of alarm or dry pipe valve.
\square 25. Make, type, model, and size of preaction or deluge valve.
\square 26. Kind and location of alarm bells.
☐ 27. Size and location of standpipe risers, hose outlets, hand hose, monitor nozzles, and related equipment.



Code Administration Division 129 North Second Street, 2nd Floor Yakima, Washington 98901 (509) 575-6126 • Fax (509) 576-6576 codes@yakimawa.gov • www.buildingyakima.com

FIRE SPRINKLER PERMIT APPLICATION (CONT'D)

PART 4 - Working Plan Requirements per NFPA Chapter 13 (Cont'd)

Signature	Print Name	Date
* **	of this application are true and correct to the best one of how any items in Part 4 that are not checked o	-
46. Edition year of NFPA 13 to which the spi	rinkler system is designed.	
☐ 45. Ceiling/roof heights and slopes not show		
\square 44. Size, location, and piping arrangement of	f fire department connections.	
residual hydrants that were used in flow	tests shall be shown.	
gate valves. Whether hose houses and e	equipment are to be provided, and by whom, shall	be indicated. Static and
\square 43. Size and location of hydrants showing si	ize and number of outlets and if outlets are to be e	quipped with independent
\square 42. Information about listed antifreeze solu	tion used (type and amount).	
☐ 41. Information about backflow preventers	(manufacturer, size, type).	
☐ 40. The setting for pressure-reducing valves	5.	
☐ 39. Calculation of loads for sizing and details	s of sway bracing.	
	otected wall openings throughout the floor protect	ed.
☐ 37. Relative elevations of sprinklers, junction	·	,
	sure required noted at a common reference point	
	required for hose streams both inside and outside	
	(density or flow or discharge pressure), the design	area of water application.
calculation sheets.	e plan that correspond with comparable reference	points on the Hydradine
	e plan that correspond with comparable reference	points on the hydraulic
☐ 33. Name and address of contractor.	cu on an plans.	
☐ 32. A graphic representation of the scale us		
☐ 31. For hydraulically designed systems, the		
on the plans to make all conditions clear	as an addition to an existing system, enough of the	existing system maicated
29. Piping provisions for flushing.		
laid below grade.		
	regulators, meters, and valve pits; and the depth t	hat the top of the pipe is
	ocations, weights, materials, point of connection to	



Code Administration Division 129 North Second Street, 2nd Floor Yakima, Washington 98901 (509) 575-6126 • Fax (509) 576-6576 codes@yakimawa.gov • www.buildingyakima.com

FIRE SPRINKLER PERMIT APPLICATION (CONT'D)

PART 5 - Working Plan Requirements per NFPA Chapter 13R

(check box and skip this checklist if sprinkler installation is NOT for low-rise residential occupancies \Box)

<u>INSTRUCTIONS</u>: Working plans shall be drawn to an indicated scale, on sheets of uniform size, with a plan of each floor, and shall show those items from the list below that pertain to the design of the system. Please read and check off each item that is included in the working plans. For any items in the checklist below that are NOT included in the working plans, an explanation of how the requirement does not apply to this project MUST be outlined in the application project description field.

☐ 1. Project name
☐ 2. Location, including street address
☐ 3. Point of compass.
☐ 4. Ceiling construction
☐ 5. Full height cross-section or schematic diagram, including structural member information if required for clarity and
including ceiling construction and method of protection for nonmetallic piping
\square 6. Ceiling/roof height and slopes not shown in the full height cross section
\square 7. Location of partitions and fire walls
\square 8. Location and size of concealed spaces, attics, closets, and bathrooms
\square 9. Any small enclosures in which no sprinklers are to be installed
\square 10. Size of the city main in the street and the city main test results including elevation of the test hydrant
\square 11. Make, manufacturer, type, temperature rating, sprinkler identification number, and nominal k-factor of the
sprinkler
\square 12. Type and location of high-temperature sprinklers
\square 13. Number of sprinklers on each riser, per floor
\square 14. Type and location of alarm bells
\square 15. Type of pipe and fittings
\square 16. Pipe type and schedule of wall thickness
\square 17. Type of protection for nonmetallic pipe
\square 18. Location and size of riser nipples
\square 19. Types of fittings and joints and the locations of all welds and bends
\square 20. Types and locations of hangers, sleeves, and braces, and methods of securing sprinklers, where applicable
\square 21. All control valves, check valves, drain pipes, and test connections
\square 22. Underground pipe size, length, location, weight, material, and point of connection to the city main; type of valves,
meters, and valve pits; and depth at which the top of the pipe is laid below grade
\square 23. Name and address of the contractor
\square 24. Nominal pipe size and lengths
\square 25. Where the equipment is to be installed as an addition to an existing system, enough of the existing system
indicated on the plans to make all conditions clear
☐ 26. A graphic representation of the scale used on all plans



Code Administration Division 129 North Second Street, 2nd Floor Yakima, Washington 98901 (509) 575-6126 • Fax (509) 576-6576 codes@yakimawa.gov • www.buildingyakima.com

PART 5 - Working Plan Requirements per NFPA Chapter 13R (Cont'd)

Signature	Print Name	Date	
I hereby certify under penalty of perjury of the Lo and know that the information contained herein is me in any way to violate or cancel any of the prov of construction sought under this permit.	s true and correct. I understand that the granti	ng of a permit does not authorize	
☐ I am EXEMPT from the requirements of the Co and conditions of the exemption as stated. I w specialized contractors in connection with the	ill do all of my own work or use all registered	and licensed contractors and/or	
☐ I am an AUTHORIZED AGENT of the property of contractor or specialty contractor as defined work sought by this permit.	under RCW 18.27.010 and 18.27.110 and is	legally qualified to perform the	
□ I am a CONTRACTOR or SPECIALTY CONTRACTOR and 18.27.110 and am legally qualified to perf	orm the work sought by this permit.		
I hereby certify that (<mark>please select one</mark>):			
PART 6 – Declaration			
Signature	Print Name	Date	
I hereby certify that the items checked in Part 5 of application project description includes an outline working plans do not apply to this project.			
\square 37. Edition year of NFPA 13R to which the spi	inkler system is designed		
$\hfill\square$ 36. Location of closets on exterior balconies,	and any doors or penetration between the clo	oset and the dwelling unit	
\square 35. Location of fuel-fired equipment and hear	ing and air-conditioning equipment		
$\hfill\square$ 34. Size, location, and piping arrangement of	fire department connections		
flow tests shall be shown			
☐ 33. Size and location of hydrants, showing siz		ydrants that were used in	
☐ 32. Information about backnow preventers (i			
□ 30. Relative elevations of sprinklers, junction□ 31. Information about backflow preventers (
		DINT FOR EACH SYSTEM	
	nimum rate of water application and the design area of water application al quantity of water and the pressure required noted at a common reference point for each system		
calculation sheets			
27. Try dradic reference points shown on the	plan that correspond with comparable refere	nce points on the hydraulic	