## COMMUNITY DEVELOPMENT DEPARTMENT



Code Administration Division 129 North Second Street, 2nd Floor Yakima, Washington 98901 Phone (509) 575-6126 • Fax (509) 576-6576 Email: codes@yakimawa.gov

# RESIDENTIAL PATIO COVER - OR CARPORT APPLICATION PACKET

# COMMUNITY DEVELOPMENT DEPARTMENT

Code Administration Division 129 North Second Street, 2nd Floor Yakima, Washington 98901 Phone (509) 575-6126 • Fax (509) 576-6576 Email: codes@yakimawa.gov

# **Residential Plan Review Checklist**

1)	Completed Building, Plumbing and Mechanical Permit Applications forms (as applicable)
2)	Two Copies of Each:
	$\square$ Site plan (as outlined in the General Site Plan Checklist)
	☐ Foundation Plan
	☐ Floor construction layout plan w/associated engineering required, if using a manufactured floor system
	☐ Floor plan (for each floor)
	☐ Roof/Ceiling construction plan
	☐ Roof Truss Layout and associated engineering (required, if using manufactured roof trusses)
	☐ Typical Cross Section through structure from roof through foundation
	☐ Stair and Rail Detail (tread depth and riser height)
	☐ Completed Energy Forms
	Minimally, the applicable Building Plan Review Fee must be paid prior to our office commencing plan review of the construction drawings. For questions regarding construction plan submittal and/or building code question, please contact the Office of Code Administration, 509-575-6126 or codes@yakimawa.gov.

For questions relating to site development and/or zoning requirements, please contact City Planning at 509-575-6183 or <a href="mailto:ask.planning@yakimawa.gov">ask.planning@yakimawa.gov</a>.

Building Permit #\_

# **Building Permit Application**

Site Address:		Parcel #s:		
Primary Contact Name	: <u> </u>	Phone#:	Email	
Construction Type(s):_	IBC/IRC	Occupancy Classification_	Estimated Co	ost of Construction:
Change of building occu	pancy classification?   Yes   I	No New land use design	gnation or change of land use desig	nation proposed? ☐ Yes ☐ No
Will 1 acre or more be	cleared or graded? ☐ Yes ☐	No Will this project cre	eate an Accessory Dwelling Unit pe	r YMC 15.09.045? ☐ Yes ☐ No
Is this property wi	thin the flood area? 🗆 Yes 🗀	No	Will temporary construction tr	ailers be utilized? ☐ Yes ☐ No
			7	Zoning District:
Description of Wor	<b>k</b> (if lengthy, please attach on	a separate document)		
<b>Building Informati</b> o  ☐ Single-Family New		Cinala Family Add	likion	
	Single-Family Alteration	☐ Single-Family Add		
☐ Multifamily New☐ Commercial New☐	☐ Multifamily Alteration☐ Commercial Addition	☐ Multifamily Addit☐ New Commercial		xisting Commercial Tenant
		inew commercial	Tellant	ixisting commercial renant
Square Footages of I		2rd Floor	Pacamont	Unfinished Attic Space
	2 <sup>nd</sup> Floor Carport			
# of stories	# of bathrooms	# of bedrooms	# of units (residential)	# of tenants (commercial)
Fire Sprinkler?: Yes	□ No City Water?:	Existing  New	City Sewer?: ☐ Existing ☐ I	New
Fire Alarm?:   Yes	□ No Well?: □	Existing  New	Septic System?: ☐ Existing ☐ I	New
Contact Informatio				
Applicant Name:		Applicant A	Address:	
Phone #:	Email:		Alt. I	Phone:
Contractor Name:		Contractor Ac	ddress:	
				nse #:
Phone #:	Email:		License #:	
			l in responsible charge of this projec	
Property Owner Name:			- — — — — — — — — — — — — — — — — — — —	
				ne:
· ·	□ N/A □ Not Provided □ To	•		
Declaration				
Declaration I hereby certify that ( <mark>pl</mark> e	ease select one):			
, ,	or SPECIALTY CONTRACTOR o	urrently registered and prope	erly licensed as defined under RCW 1	8.27.010 and 18.27.110 and am legally qualified
□ I am an <b>AUTHORIZED</b>	• • •			sed contractor or specialty contractor as defined
☐ I am <b>EXEMPT</b> from the	requirements of the Contractor R	egistration laws, per RCW 1	8.27.090, and will abide by all provisi	ions and conditions of the exemption as stated. In the work to be performed under the permit applied
for herein.	-	·		is application and know that the information
contained herein is true a		he granting of a permit doe	es not authorize me in any way to vi	is application and know that the information iolate or cancel any of the provisions of state,
Signature		Print Name		Date

All general site plans shall be drawn to scale and be legibly drawn, prepared, or printed on eight and one-half inches by eleven inches, unless otherwise requested. The scale of the drawing shall be a standard engineering scale and shall reasonably utilize the paper's size.

# General Site Plan Checklist for Type (1) Review - YMC § 15.11.040 (B):

(	) Parcel Number(s)
(	)Property Address
(	) Legal Description
(	) North Arrow
(	) Scale
(	) Applicant Name
(	) Project Name
(	) Property Dimensions and Shape of Lot
(	) Size and Location of Existing Structures
(	) Size and Location of Proposed Structures
(	) Distance(s) of Structures to Property Line and Centerline of Right-of-Way (YMC § Ch. 15.05, Table 5-1)
(	) Location of Existing and Proposed Signage (YMC § Ch. 15.08)
(	) Size and Location of Utilities
(	) Parking Circulation Plan (YMC § Ch. 15.06.030)
(	) Proposed Landscaping (YMC § Ch. 15.06.090)
(	) Proposed Sitescreening (YMC § Ch. 15.07)
(	) Location of Ingress and Egress Points
(	) Adjacent Rights-of-Way and Existing Frontage Improvements
(	) Lot Coverage Calculation (YMC § Ch. 15.05.020(C))
(	) Clearview Triangle – YMC § Ch. 15.05.040 – Vision Clearance
(	) Dumpster and Screening Location
	) Per Section 15.05.020.K.2 of the Urban Area Zoning Ordinance, the area around a swimming pool shall be enclosed a protective fence not less than four (4) feet in height.

The site plan shall also include any other information required by the Department or Administrative Official to clarify the proposal, assess its impacts, or determine compliance with this Title. Note: If you have any questions about this process, please contact City of Yakima Planning Division – 129 N. 2nd St., Yakima, WA or by phone at: (509) 575-6183.

Rev: 7/25/18




REQUIRED ATTACHMENT:

SITE PLAN

Note: Producing the site plan from this template is prefetred, however, the template can be substituted for your own medium. (computer aided is acceptable.)

# SAMPLE SITE PLAN RESIDENTIAL ADDITION



# SAMPLE USE ONLY

LOT COVERAGE CALCULATION a) Footprint(s) of Existing Structure(s) b) Building Addition/New Structure(s) Footprint(s) c) Paved Area(s) (Driveways, Walkways, patios, etc.) Total d) Proposed Paved Area(s) e) Total Impervious Surface (a+b+c+d = e) () Lot Size g) Lot Coverage (e/f x 100 - g)	846 SOFT 760 SOFT 760 SOFT 760 SOFT 760 SOFT 760 SOFT 760 SOFT	PARKING CALCULATION (Reference Table 6-1 of the Urban Area Zoning Ordinance a) 3 space(s) required b) 3 space(s) provided  LOT INFORMATION /9/6/8-//447 Parcel #(s) /9/6/8-//447 Site Address //// W
MAP SCALE (Please use the given scale, however, in some circumstances a different scale may work better.)  CHECK ONE  Preferred Scale: 1 inch on the map = 20 feet on the ground  Custom Scale: 1 inch = 20  Template the marks are   Inch apart  Produced by (print)   John Doe  Oate: 9-1-16	NOBTH ABROW	BACKGROUND INFROMATION John Doe Steer Address Address Contact Person John Contact Pers

# **Design Criteria**

### Current Codes\*:

- 2021 Washington State Building Code
- 2021 Washington State Residential Code
- 2021 Washington State Existing Building Code
- 2021 Washington State Fire Code
- 2021 Washington State Mechanical Code
- 2021 Washington State Fuel Gas Code
- 2021 Uniform Plumbing Code
- 2021 Washington State Commercial Energy Code
- 2021 Washington State Residential Energy Code
- 2021 Washington State Pool and Spa Code
- Accessible & Usable Buildings & Facilities ICC A117.1-2017

# Wind Speed=

Residential=110 mph (or, 85 mph for ASD)

Commercial=Reference ASCE 7-16 and IBC Chapter 16, usually 110 mph for category II

# Earthquake Zone =

Residential (IRC Structures) = C

Commercial = D

Exception: If your plan is for a building or buildings in risk categories I, II, or III (2018 IBC Table 1604.5) *and* is of light frame construction per IBC chapter 23, the design may be according to Earthquake Zone C.

Frost Depth = 24" below grade

**Ground Snow Load** = 19 psf

**Roof Snow Load** = 20 psf for elevations 1,166 ft or under; 25 psf for elevations about 1,166 ft

**Weathering** = Severe

**Termite Damage** = Slight to Moderate

Winter Design Temperature = 11 deg.

**Ice Barrier Underlayment Required = Yes** 

Flood Hazards = View current Flood Insurance Rate Map: https://msc.fema.gov/portal/home

Air Freezing Index = 1011

**Mean Annual Temperature** = 49.7 deg.

Electrical permits are applied for/issued by Washington State Labor & Industries: 509-454-3760.

<sup>\*</sup>In addition, see the Yakima Municipal Code for any amendments to the codes listed above



## COMMUNITY DEVELOPMENT DEPARTMENT

Code Administration Division 129 North Second Street, 2nd Floor Yakima, Washington 98901 (509) 575-6126 • Fax (509) 576-6576 codes@yakimawa.gov • www.buildingyakima.com

# ALLOWABLE CLEAR SPAN FOR CONSTRUCTION GRADE LUMBER

Member	Spacing	2x4	2x6	2x8	2x10	2x12
Floor joists without ceiling below	12"	N/A	10' 9"	14' 2"	17' 9"	20' 7"
	16"	N/A	9' 9"	12' 7"	15' 5"	17' 10"
	19.2"	N/A	9' 1"	11' 6"	14' 1"	16' 3"
	24"	N/A	8' 1"	10' 3"	12' 7"	14' 7"

Member	Spacing	2x4	2x6	2x8	2x10	2x12
Floor joists with ceiling below	12"	N/A	10' 6"	13' 3"	16' 3"	18' 10"
	16"	N/A	9' 1"	11' 6"	14' 1"	16' 6"
	19.2"	N/A	8' 3"	10' 6"	12' 10"	14' 10"
	24"	N/A	7' 5"	9' 5"	11' 6"	13' 4"

Member	Spacing	2x4	2x6	2x8	2x10	2x12
Ceiling joists with	12"	12' 5"	19' 6"	25' 8"	26+	N/A
plaster or sheetrock, with no	16"	11' 3"	17' 8"	23'	26+	N/A
	19.2"	10' 7"	16' 7"	21'	25' 8"	N/A
storage	24"	9' 10"	14' 10"	18' 9"	22' 11"	N/A

Member	Spacing	2x4	2x6	2x8	2x10	2x12
Roof rafters without finished ceiling	12"	7' 1"	10' 5"	13' 2"	16' 1"	18' 8"
	16"	6' 2"	9'	11'	13' 11"	16' 2"
	19.2"	5' 7"	8' 3"	10' 5"	12' 9"	14' 9"
	24"	5' 0"	7' 4"	9' 4"	11' 5"	13' 2"

Member	Spacing	2x4	2x6	2x8	2x10	2x12
Roof rafters with drywall ceiling	12"	7' 1"	10' 5"	13' 2"	16' 1"	18' 8"
	16"	6' 2"	9'	11' 5"	13' 11"	16' 2"
	19.2"	5' 7"	8' 3"	10' 5"	12' 9"	14' 9"
	24"	5'	7' 4"	9' 4"	11'5"	13' 2"

The above dimensions are figured using #2 and better Douglas Fir only. If any other type or grade lumber is used, contact the Office of Code Administration at 509-575-6126 for the allowable span.

5/15/2013

# Single Family Residential Patio Covers & Carports Directions 1. PH in the planks with dimensions and importate which will be used to hulld the structure... Broke print legibly. 2. hiddente in the check hoxes which details from page2 will be used. Please note if any of the sides of your carport additten are closer than 5.0° to the property line, that side of the carport must be enclosed with a still I from the rated wall as shown by Alternate Octal B. You must however, keep at least two slites of the carport open resconform to the hallfling code requirements. Zaming approval is required, $B_{s}$ lipsdigg to be installed per manufacturer's instructions, (archallog love slope application and required inspections made. Roof covering. Underlayment Sheathing woods of offersoon Size and Amount of Lags Interplet has took 4 to Flight & 16 OCH 12 pltch 2x rafters spaced Patio Section Note: Walls, page, and everhang closer than 5' to be the rates No closer than 2 feet to property line Boam solices to accur over posts with 17(2" bearing □ Dotall B □ Alfotanio B ) "X samesking do) Existing building Span Heingenson Maximium dsu 7 3/4" at log of door threshold: HerAtemelle Books Slope "posts spaced apart. Concrete Slab Footing ser Administ Const

