COMMUNITY DEVELOPMENT DEPARTMENT



Code Administration Division 129 North Second Street, 2nd Floor Yakima, Washington 98901 Phone (509) 575-6126 • Fax (509) 576-6576 Email: codes@yakimawa.gov

RESIDENTIAL PATIO COVER - OR CARPORT APPLICATION PACKET

COMMUNITY DEVELOPMENT DEPARTMENT

Code Administration Division 129 North Second Street, 2nd Floor Yakima, Washington 98901 Phone (509) 575-6126 • Fax (509) 576-6576 Email: codes@yakimawa.gov

Residential Plan Review Checklist

1)	Completed Building, Plumbing and Mechanical Permit Applications forms (as applicable)
2)	Two Copies of Each:
	☐ Site plan (as outlined in the City of Yakima Site Plan Checklist)
	☐ Foundation Plan
	☐ Floor construction layout plan w/associated engineering required, if using a manufactured floor system
	☐ Floor plan (for each floor)
	☐ Roof/Ceiling construction plan
	☐ Roof Truss Layout and associated engineering (required, if using manufactured roof trusses)
	☐ Typical Cross Section through structure from roof through foundation
	☐ Stair and Rail Detail (tread depth and riser height)
	☐ Completed Energy Forms
	Minimally, the applicable Building Plan Review Fee must be paid prior to our
	office commencing plan review of the construction drawings. For questions regarding construction plan submittal and/or building code question, please

codes@yakimawa.gov.

For questions relating to site development and/or zoning requirements, please contact City Planning at 509-575-6183 or ask.planning@yakimawa.gov.

contact the Office of Code Administration, 509-575-6126 or



Building Permit Application

Signature

building Peri	int Application		Building	Permit #
Site Address:		Parcel #s:		
Primary Contact Name	::	Phone#:	Email_	
Construction Type(s):_	IBC/IRC	Occupancy Classification		
Change of building occu	pancy classification?	No New land use design		
Will 1 acre or more be	cleared or graded? Yes	No Will this project crea	te an Accessory Dwelling Unit	per YMC 15.09.045? ☐ Yes ☐ No
Is this property wi	thin the flood area? 🗆 Yes 🛚	No		Zoning District:
Description of Wor	k (if lengthy, please attach on	a separate document)		
Building Information	_			
☐ Single-Family New				
_ ′	_ '	<u> </u>	_	or Existing Commercial Tenant
		inew commercial in	enant — Kenovation i	or Existing Commercial Tenant
		3 rd Floor	Basement	Attic, stairway-access
Garage				
# of stories	# of bathrooms	# of bedrooms	# of units (residential)	# of tenants (commercial)
Fire Sprinkler2. TV	□ N City Wator?	7 suitables II Norm	City Couray), Truiting	□ Nov.
		_	<u> </u>	
Contact Informatio	n			
Applicant Name:		Applicant Ad	dress:	
Phone #:	Email:	_	A	lt. Phone:
Registered Design Pro. Na	ime:	Design Pro A	Address:	
Phone #:				
— — — — — — — —				
Property Owner Name:_		Owner Ad	ldress:	
Phone #:	Email:		Alt. P	hone:
Londing Info Provided 2	N/A □ Not Provided □ T	o he provided at a later date	<u> </u>	
Declaration				
	ease select one):			
	Iding Information			
□ I am an AUTHORIZED	AGENT of the property owner a			censed contractor or specialty contractor as defined
	· .		•	
I hereby certify under pe contained herein is true a	and correct. I understand that t	the granting of a permit does	not authorize me in any way t	
_	•			

Print Name

Date



CITY OF YAKIMA SITE PLAN CHECKLIST



For Land Use Review & Building Permits

Site plans required for land use review and building permits shall include the items listed below.

Sections from the Yakima Municipal Code are referenced by some items to help guide applicants. This is not a comprehensive list. View the full Yakima Municipal Code here: https://www.codepublishing.com/WA/Yakima/

☐ Property address, parcel number, and zoning designation;
\Box Legal description of the land;
☐ North arrow and scale of drawing;
\square Name of applicant, phone number, signature of property owner and project name;
☐ Actual dimensions and shape of the lot to be built upon;
\square Sizes and location of existing structures on the lot to the nearest foot;
\Box Location and dimensions of proposed structures and uses;
\square All structure setbacks (YMC § 15.05.030);
\square Lot coverage calculations (<u>YMC § 15.05.020(C)</u>);
\Box Clearview triangle (<u>YMC § 15.05.040</u>);
\square Size and location of proposed and existing utility easements and other easements;
☐ Location and size of required site drainage facilities including on-site retention;
☐ Adjacent Right-of-Way dedication and frontage improvements;
\square Distance(s) of structures to property line and to the centerline of the Right-of-Way (YMC §15.05.030, Table 5-1);
\Box Location of ingress and egress, including curb cuts intersecting with streets and dimensions of proposed or existing driveways (YMC § 15.06.065);
☐ Location and size of parking stalls with accessible parking spaces and aisles identified (YMC Ch. 15.06);
☐ Location of electric vehicle (EV) infrastructure;
☐ Parking circulation plan with proposed landscaping and sitescreening (YMC Ch. 15.06);
☐ Location and size of new or existing loading spaces (<u>YMC § 15.06.130</u>);
☐ Proposed and existing signage (YMC Ch. 15.08); and
☐ Proposed or existing mailbox location.
A site plan for development in the floodplain overlay shall also include the following information:
\square Size and location of floodplain and floodway on the lot;
\square Elevation in relation to the one-hundred-year flood level of the lowest floor (including basement) of all structures;
\square Elevation in relation to mean sea level of any structure that has been floodproofed;
☐ Certification by a registered professional engineer or architect that established floodproofing standards have been met;
☐ Description of the extent to which any watercourse will be altered or relocated as a result of the proposed development; and
☐ Any other site plan requirements identified in <u>YMC Ch. 15.27</u> Part Four.

Additional information may be requested. Projects requiring work in the public right-of-way or involving city water main lines or sewer main lines will be required to submit civil plans to the Engineering Division for review.




REQUIRED ATTACHMENT:

SITE PLAN

Note: Producing the site plan from this template is prefetred, however, the template can be substituted for your own medium. (computer aided is acceptable.)

SAMPLE SITE PLAN RESIDENTIAL ADDITION



SAMPLE USE ONLY

LOT COVERAGE CALCULATION a) Footprint(s) of Existing Structure(s) b) Building Addition/New Structure(s) Footprint(s) c) Paved Area(s) (Driveways, Walkways, patios, etc.) Total d) Proposed Paved Area(s) e) Total Impervious Surface (a+b+c+d = e) () Lot Size g) Lot Coverage (e/f x 100 - g)	846 SOFT 760 SOFT 760 SOFT 760 SOFT 760 SOFT 760 SOFT 760 SOFT	PARKING CALCULATION (Reference Table 6-1 of the Urban Area Zoning Ordinance a) 3 space(s) required b) 3 space(s) provided LOT INFORMATION /9/6/8-//447 Parcel #(s) /9/6/8-//447 Site Address //// W
MAP SCALE (Please use the given scale, however, in some circumstances a different scale may work better.) CHECK ONE Preferred Scale: 1 inch on the map = 20 feet on the ground Custom Scale: 1 inch = 20 Template the marks are Inch apart Produced by (print)	NOBTH ABROW	BACKGROUND INFROMATION John Doe Steer Address Address Contact Person John Contact Pers

Design Criteria

Current Codes*:

- 2021 Washington State Building Code
- 2021 Washington State Residential Code
- 2021 Washington State Existing Building Code
- 2021 Washington State Fire Code
- 2021 Washington State Mechanical Code
- 2021 Washington State Fuel Gas Code
- 2021 Uniform Plumbing Code
- 2021 Washington State Commercial Energy Code
- 2021 Washington State Residential Energy Code
- 2021 Washington State Pool and Spa Code
- Accessible & Usable Buildings & Facilities ICC A117.1-2017

Wind Speed=

Residential=110 mph (or, 85 mph for ASD)

Commercial=Reference ASCE 7-16 and IBC Chapter 16, usually 110 mph for category II

Earthquake Zone =

Residential (IRC Structures) = C

Commercial = D

Exception: If your plan is for a building or buildings in risk categories I, II, or III (2018 IBC Table 1604.5) *and* is of light frame construction per IBC chapter 23, the design may be according to Earthquake Zone C.

Frost Depth = 24" below grade

Ground Snow Load = 19 psf

Roof Snow Load = 20 psf for elevations 1,166 ft or under; 25 psf for elevations about 1,166 ft

Weathering = Severe

Termite Damage = Slight to Moderate

Winter Design Temperature = 11 deg.

Ice Barrier Underlayment Required = Yes

Flood Hazards = View current Flood Insurance Rate Map: https://msc.fema.gov/portal/home

Air Freezing Index = 1011

Mean Annual Temperature = 49.7 deg.

Electrical permits are applied for/issued by Washington State Labor & Industries: 509-454-3760.

^{*}In addition, see the Yakima Municipal Code for any amendments to the codes listed above



COMMUNITY DEVELOPMENT DEPARTMENT

Code Administration Division 129 North Second Street, 2nd Floor Yakima, Washington 98901 (509) 575-6126 • Fax (509) 576-6576 codes@yakimawa.gov • www.buildingyakima.com

ALLOWABLE CLEAR SPAN FOR CONSTRUCTION GRADE LUMBER

Member	Spacing	2x4	2x6	2x8	2x10	2x12
Floor joists without ceiling below	12"	N/A	10' 9"	14' 2"	17' 9"	20' 7"
	16"	N/A	9' 9"	12' 7"	15' 5"	17' 10"
	19.2"	N/A	9' 1"	11' 6"	14' 1"	16' 3"
	24"	N/A	8' 1"	10' 3"	12' 7"	14' 7"

Member	Spacing	2x4	2x6	2x8	2x10	2x12
Floor joists with ceiling below	12"	N/A	10' 6"	13' 3"	16' 3"	18' 10"
	16"	N/A	9' 1"	11' 6"	14' 1"	16' 6"
	19.2"	N/A	8' 3"	10' 6"	12' 10"	14' 10"
	24"	N/A	7' 5"	9' 5"	11' 6"	13' 4"

Member	Spacing	2x4	2x6	2x8	2x10	2x12
Ceiling joists with	12"	12' 5"	19' 6"	25' 8"	26+	N/A
plaster or	16"	11' 3"	17' 8"	23'	26+	N/A
sheetrock, with no storage	19.2"	10' 7"	16' 7"	21'	25' 8"	N/A
	24"	9' 10"	14' 10"	18' 9"	22' 11"	N/A

Member	Spacing	2x4	2x6	2x8	2x10	2x12
Roof rafters without finished ceiling	12"	7' 1"	10' 5"	13' 2"	16' 1"	18' 8"
	16"	6' 2"	9'	11'	13' 11"	16' 2"
	19.2"	5' 7"	8' 3"	10' 5"	12' 9"	14' 9"
	24"	5' 0"	7' 4"	9' 4"	11' 5"	13' 2"

Member	Spacing	2x4	2x6	2x8	2x10	2x12
Roof rafters with drywall ceiling	12"	7' 1"	10' 5"	13' 2"	16' 1"	18' 8"
	16"	6' 2"	9'	11' 5"	13' 11"	16' 2"
	19.2"	5' 7"	8' 3"	10' 5"	12' 9"	14' 9"
	24"	5'	7' 4"	9' 4"	11'5"	13' 2"


The above dimensions are figured using #2 and better Douglas Fir only. If any other type or grade lumber is used, contact the Office of Code Administration at 509-575-6126 for the allowable span.

5/15/2013

Single Family Residential Patio Covers & Carports

Directions1. Fill in the blanks with dimensions and materials which will be used to build the structure. Please print legibly.

- **2.** Indicate in the check boxes which details from page 2 will be used. Please note if any of the sides of your carport addition are closer than 5'-0" to the property line, that side of the carport must be enclosed with a solid 1 hour fire rated wall as shown in Alternate Detail B You must however, keep at least two sides of the carport open to conform to the building code requirements. Zoning approval is required.
- **3.** Roofing to be installed per manufacturer's instructions, including low slope application and required inspections made.



Single Family Residential Patio Covers & Carports

