

Chief Orchards 5201 Chestnut Ave. / Fruit Packer

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH	Sulfate (mg/L)	TBZ (mg/L)	Limit	Comments
					(SU) Limit 5.5-12.0				
1/11/2010	1/12/2010	103	112	6.57					
1/12/2010	1/13/2010	190	107	6.34	6.72	45	<0.2		
1/13/2010	1/14/2010	192	175	6.17					
4/19/2010	4/20/2010	264	84	5.56		57			
4/20/2010	4/21/2010	262	98	5.98	3.00		<0.2		pH Warning letter issued
4/21/2010	4/22/2010	192	143	2.94					
4/28/2010	4/28/2010				5.81				First follow-up pH
5/5/2010	5/5/2010				6.90				Follow-up pH
5/13/2010	5/13/2010				6.90				
5/17/2010	5/17/2010				6.80				
8/2/2010	8/3/2010	154	66	6.62		59			
8/3/2010	8/4/2010	402	56	6.74	6.53		<0.2		
8/4/2010	8/5/2010	144	72	6.88					

Borton and Sons

5201 Chestnut Ave.

Fruit Packer

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH	Sulfate (mg/L)	TBZ (mg/L)	Limit	Comments
					(SU) Limit 5.5-12.0				
10/18/2010	10/19/2010	432	2050	7.60		7500			
10/19/2010	10/20/2010	222	591	7.32	7.01	9200	<0.2		Sulfate warning letter issued
10/20/2010	10/21/2010	306	1120	7.34		5700			
11/29/2010	11/30/2010	128	71	6.84					Request by Borton for follow-up sampling - Will bill for additional tests
11/30/2010	12/1/2010	<120	53	7.06					
12/1/2010	12/2/2010	<120	57	6.69					

Cintas (Acct # 95267)

918 N. 5th Ave.

Commercial Laundry

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU) Limit 5.5-12.0	FOG (mg/L) Limit 100 mg/L	FOG-SGT (mg/L) Limit 100 mg/L	Cyanide (mg/L)	Comments
1/12/2010	1/13/2010	335	100	7.87					
1/13/2010	1/14/2010	366	128	8.70	8.42			<0.01	
1/14/2010	1/15/2010	213	103	8.53					
2/2/2010	2/2/2010					66 mg/L	Need to bill		
3/3/2010	3/4/2010					68	Need to bill		
4/6/2010	4/7/2010	383	139	9.34					
4/7/2010	4/8/2010	393	104	8.92	9.87			0.059	
4/8/2010	4/9/2010	365	129	9.20					
4/13/2010	4/14/2010					52			
5/6/2010	5/6/2010					79			
6/8/2010	6/9/2010					35	Need to bill		
7/6/2010	7/7/2010					41	Need to bill		
7/13/2010	7/14/2010	420	182	8.99					
7/14/2010	7/15/2010	582	194	8.80	9.46			<0.01	
7/15/2010	7/16/2010	423	163	9.49					
8/17/2010	8/26/2010					167	50		FOG Warning letter issued 9/2/10
9/8/2010	9/9/2010					21			

Cintas (Acct # 95267) continued						
Parameter	1/12/2010 Results	4/6/2010 Results	7/13/2010 Results	10/12/2010 Results	Local Limits (mg/L)	City of Yakima MDL (mg/L)
Silver (T)	0.004523	0.00356	0.00831	0.0144	5.0	0.0002
Arsenic (T)	0.00121	0.0141	0.00318	0.00566	5.0	0.001
Beryllium (T)	0.000219	ND	ND	0.000393	1.0	0.0002
Cadmium (T)	0.000974	0.00311	0.00156	0.00176	1.0	0.0002
Chromium (T)	0.00767	0.0216	0.00810	0.00136	5.0	0.001
Copper (T)	0.0749	0.0854	0.0640	0.0826	2.0	0.005
Mercury (T)	0.00137	0.000670	ND	ND	0.2	0.0002
Molybdenum (T)	0.0325	0.0166	0.0100	0.0788	-	0.005
Nickel (T)	ND	0.0213	0.00821	0.00695	2.0	0.002
Lead (T)	0.0125	0.0727	0.0242	0.0111	1.5	0.001
Antimony (T)	0.0122	0.0127	0.0101	0.0118	-	0.005
Selenium (T)	0.00588	ND	ND	0.00308	1.0	0.001
Thallium (T)	ND	ND	ND	ND	-	0.005
Zinc (T)	0.240	0.253	0.299	0.296	5.0	0.030

CM Holtzinger (Acct # 16882)								
1312 N. 6th Avenue								
Fruit Packer								
SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU) Limit 5.5-12.0	Sulfate (total) mg/L Limit 250	TBZ (mg/L) Limit 100 mg/L	DPA (Limit TBD)
1/12/2010	1/13/2010	138	96	6.32		22	3.14	
1/13/2010	1/14/2010	73	83	6.75	3.91			pH warning letter
1/14/2010	1/15/2010	174	113	8.16				
2/10/2010					9.16			pH follow-up sample
2/18/2010					6.86			pH follow-up sample

Columbia Reach (Account # 78170)

3107 River Road
Fruit Packer

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH	Sulfate (total)	FOG (mg/L) Limit 100 mg/L	TBZ (mg/L) Limit 100 mg/L	Comments
					(SU) Limit 5.5-12.0	mg/L Limit 250 mg/L			
1/26/2010	1/27/2010	312	118	7.45	7.32			0.234	
1/27/2010	1/28/2010	221	220	6.97					
4/19/2010	4/20/2010	234	160	7.33		17			
4/20/2010	4/21/2010	276	304	7.19				3.93	
4/21/2010	4/22/2010	857	1810	7.49					
4/22/2010					7.16				
7/19/2010	7/19/2010	228	280	6.66		56			
7/20/2010	7/21/2010	240	392	6.50					
7/21/2010	7/22/2010	297	323	6.71	7.5			<0.2	
10/18/2010	10/19/2010	246	197	7.36		43			
10/19/2010	10/20/2010	222	254	7.14				0.228	
10/20/2010	10/21/2010	380	581	6.75	7.08				

Congdon Orchards (Acct #71964)

1117 S. 64th Ave.
Fruit Packer

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH	Sulfate (total)	FOG (mg/L) Limit 100 mg/L	TBZ (mg/L) Limit 100 mg/L	DPA (mg/L) Limit TBD
					(SU) Limit 5.5-12.0	mg/L Limit 250 mg/L			
9/20/2010	9/21/2010	<120	333	10.16					
9/21/2010	9/22/2010	144	120	10.30	10.28				
9/22/2010	9/23/2010	<240	1950	10.16		0	9	<0.4	<0.4

Del Monte Foods

108 W. Walnut

Food Processing

SAMPLE DATE	TEST DATE	BOD (mg/L)	SOLUBLE BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU)	VIOLATION	Comments
06/28/10		-	-	-	-	-		No Sample. Started 6/29/10
06/29/10	06/30/10	155	122	126	7.20			
06/30/10	07/01/10	282	278	31	8.37	7.56		
07/01/10	07/02/10	155	155	33	9.54	7.64		
07/02/10	07/03/10						No flow	
07/03/10	07/04/10							
07/04/10	07/05/10							
07/05/10	07/06/10							
07/06/10	07/07/10							
07/07/10	07/08/10	1,300	1,280	77	10.30	11.28		
07/08/10	07/09/10	624	720	60	10.65	10.95		
07/09/10	07/10/10	1,420	952	51	6.58	6.81		
07/10/10	07/11/10							
07/11/10	07/12/10							
07/12/10	07/13/10	745	634	48	10.86			
07/13/10	07/14/10	234	186	26	11.49	11.42		
07/14/10	07/15/10	257	265	31	9.78	11.38		
07/15/10	07/16/10							No Flow...Cherry season completed.
07/16/10	07/17/10							
08/16/10	08/17/10	<96	75	55	7.35	5.95		
08/17/10	08/18/10	461	420	33	8.06	6.75		
08/18/10	08/19/10	420	>240	24	8.19	7.65		
08/19/10	08/20/10	3,240	3,120	33	8.07	7.11		
08/20/10	08/21/10							
08/21/10	08/22/10							
08/22/10	08/23/10							
08/23/10	08/24/10	6,600	4,163	62	8.88	6.98		

Del Monte Foods (continued)

108 W. Walnut

Food Processing

SAMPLE DATE	TEST DATE	BOD (mg/L)	SOLUBLE BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU)	VIOLATION	Comments
08/24/10	08/25/10	1,488	1,380	26	8.17	10.12		
08/25/10	08/26/10	3,075	3,150	27	8.62	7.26		
08/26/10	08/27/10	3,825	3,525	263	6.87	5.86		
08/27/10	08/28/10	239	201	68	8.20	7.42		
08/28/10	08/29/10							
08/29/10	08/30/10							
08/30/10	08/31/10	6,225	5,550	-	6.47	6.37		
08/31/10	09/01/10	6,000	4,800	339	6.36	6.67		
09/01/10	09/02/10	5,250	3,975	389	6.26			
09/02/10	09/03/10	6,450	5,850	665	6.24			
09/03/10	09/04/10	5,550	4,200	280	5.94	5.80		
09/04/10	09/05/10	3,240	3,300	31	8.01	6.76		
09/05/10	09/06/10							
09/06/10	09/07/10							
09/07/10	09/08/10	7,500	5,950	136	6.49	6.85		
09/08/10	09/09/10	8,325	6,375	245	6.37			
09/09/10	09/10/10	7,200	4,950	640	6.21	6.65		
09/10/10	09/11/10	5,850	4,538	280	6.04	6.57		
09/11/10	09/12/10	802	452	30	8.55	5.63		
09/12/10	09/13/10							
09/13/10	09/14/10	7,350	6,450	910	6.06	11.37		
09/14/10	09/15/10	6,375	4,988	250	6.02	6.89		
09/15/10	09/16/10	6,825	5,250	310	5.86	6.72		
09/16/10	09/17/10	6,900	6,300	435	5.68	6.35		
09/17/10	09/18/10	6,375	6,150	930	5.40	6.52		
09/18/10	09/19/10	640	590	145	6.75			
09/19/10	09/20/10	<120	<120	39	7.23	6.73		
09/20/10	09/21/10	6,075	5,650	138	5.82	6.76		
09/21/10	09/22/10	7,500	7,500	252	5.85	6.12		

Del Monte Foods (continued)

108 W. Walnut

Food Processing

SAMPLE DATE	TEST DATE	BOD (mg/L)	SOLUBLE BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU)	VIOLATION	Comments
09/22/10	09/23/10	8,100	6,300	425	5.66	6.67		
09/23/10	09/24/10	6,300	4,650	205	5.27	6.50		
09/24/10	09/25/10	-	-	-	-	6.71		
09/25/10	09/26/10	363	262	323	8.47	5.86		Tubing split, no composite sample. Miguel replaced tubing.
09/26/10	09/27/10					7.08		Sampler not started.
09/27/10	09/28/10	9,000	6,525	600	5.99	6.85		
09/28/10	09/29/10	6,750	6,150	681	5.88	8.28		
09/29/10	09/30/10	5,700	4,950	480	5.82	6.61		
09/30/10	10/01/10	7,050	6,600	643	5.66	6.54		
10/01/10	10/02/10	9,525	8,325	930	5.58	6.59		
10/02/10	10/03/10	612	422	376		5.89		
10/03/10	10/04/10	458	408	103		8.19		
10/04/10	10/05/10	8,025	8,100	164		10.37		
10/05/10	10/06/10	7,500	7,500	397		7.78		
10/06/10	10/07/10	8,700	7,650	856		6.65		
10/07/10	10/08/10	7,575	5,850	880		6.71		
10/08/10	10/09/10	5,550	4,988	530		7.02		
10/09/10	10/10/10	1,249	970	160	5.93	9.64		
10/10/10	10/11/10	612	504	69	6.26	6.65		
10/11/10	10/12/10	6,900	5,775	423		8.61		
10/12/10	10/13/10	7,125	6,000	188	5.38	6.60		
10/13/10	10/14/10	6,450	6,000	227	5.58	6.52		
10/14/10	10/15/10	6,600	5,513	525	5.38	6.45		
10/15/10	10/16/10	6,450	5,700	588	5.33	6.89		
10/16/10	10/17/10	432	330	275	6.49	5.82		
10/17/10	10/18/10	423	339	142	6.04	11.30		
10/18/10	10/19/10	8,700	6,050	633	5.23	7.82		

AVG TSS 2010
455

Del Monte Foods (continued)

108 W. Walnut

Food Processing

SAMPLE DATE	TEST DATE	BOD (mg/L)	SOLUBLE BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU)	VIOLATION	Comments
10/19/10	10/20/10	8,175	6,900	570	5.33	6.45		
10/20/10	10/21/10	8,475	7,875	530	5.63	6.86		
10/21/10	10/22/10	7,950	5,825	542	5.49	6.55		
10/22/10	10/23/10	6,600	4,650	380	5.67	5.98		
10/23/10	10/24/10	427	339	420	7.30	6.05		
10/24/10	10/25/10	732	634	23	5.75	7.28		
10/25/10	10/26/10	6,900	5,775	148	5.76	9.75		
10/26/10	10/27/10	8,475	7,350	320	5.49	7.27		
10/27/10	10/28/10	8,250	7,350	760	5.45	6.53		
10/28/10	10/29/10	7,350	6,225	387	5.47	7.07		
10/29/10	10/30/10	6,750	5,250	504	5.34	7.11		
10/30/10	10/31/10	246	192	140	5.97	6.07		
10/31/10	11/01/10	321	366	76	6.98	7.05		
11/01/10	11/02/10	7,200	5,850	354	5.18	4.88	Violation letter 11/9/10	
11/02/10	11/03/10	5,400	4,050	410	5.17	6.58		
11/03/10	11/04/10	504	456	328	8.27	9.39		
11/04/10	11/05/10	524	404	240	6.85	8.70		
11/05/10	11/06/10	258	234	192	9.05	10.01		
11/06/10	-	-	-	-	-	-		Saturday - no sample
11/07/10	11/07/10	-	-	-	-	6.03		No Flow
11/08/10	-	-	-	-	-	-		No Flow
11/09/10	-	-	-	-	-	-		6.03
11/10/10						-		
11/11/10						-		
11/12/10						-		
11/13/10						-		
11/14/10						-		
11/15/10	11/16/10	120	63	64	7.50	-		
11/16/10	11/17/10	>1080	>1080	22	8.31	6.65		

Del Monte Foods (continued)

108 W. Walnut

Food Processing

SAMPLE DATE	TEST DATE	BOD (mg/L)	SOLUBLE BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU)	VIOLATION	Comments
11/17/10	11/18/10	760	694	88	9.86	10.84		
11/18/10	11/19/10	-	-	-	-	7.00		No flow, no sample
11/19/10	11/20/10	-	-	-	-	6.54		
11/20/10	11/21/10							
11/21/10	11/22/10							
11/22/10	11/23/10							
11/23/10	11/24/10							
11/24/10	11/25/10							
11/25/10	11/26/10							

mg/L	Results 6/3/2010	Results 7/8/10	Results 8/31/10	Results 9/9/10	Results 10/7/10	Results 11/2/10
Total Phosphorus				2.25	2.92	3.98
Ortho-phosphate				1.49	0.27	27.9
TKN	6.7	7.5	2.1	25.8	26.3	0.4
Nitrate				< 0.07	< 0.07	0.24
Nitrite				< 0.07	< 0.07	0.09
Ammonia				3.49	< 0.07	2.66
Total Nitrogen				25.8	26.3	28.23

D&H Properties (Leased by Congdon Orchards)

18 W. Mead

Fruit Packer

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS (mg/L)	pH (SU)	Grab pH (SU) Limit 5.5-12.0	Sulfate (total) mg/L Limit 250 mg/L	TBZ (mg/L) Limit 100 mg/L	Comments
1/26/2010	1/27/2010	303	223	7.13		50	<0.2	
1/27/2010	1/28/2010	474	296	6.64	6.79			

Evans Fruit

5002 Tieton Drive

Fruit Packer

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU) Limit 5.5-12.0	Sulfate (total) mg/L Limit 250 mg/L	TBZ (mg/L) Limit 100 mg/L	DPA (mg/L) Limit TBD
4/20/2010	4/21/2010	328	84	7.35		2	<0.2	<0.2
4/21/2010	4/22/2010	409	133	6.68	7.32			
4/22/2010	4/23/2010	288	183	7.16				

Finish Line									
217 S. 2nd Ave.									
Metal Finisher									
SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH	FOG (mg/L)	Cyanide (mg/L)	Methylene Chloride (mg/L)	
					(SU) Limit	Limit 100 mg/L		Limit <2.13 mg/L	
2/9/2010	-	Tank Empty, will resample.							
2/23/2010	2/23/2010	150	115	6.03	5.97	27			
2/24/2010	2/24/2010	158	76	6.3			<0.01	ND	
2/25/2010	2/25/2010	81	58	6.36					
		Total Phosphorus (mg/L)	TKN (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Ammonia (mg/L)	Cyanide (T) (mg/L)		
2/24/2010		50.9	5.4	<0.07	0.14	0.12	<0.01		

Finish Line (continued)

Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)
2/23/2010	Silver (T)	0.00951	5.0	0.0002
	Arsenic (T)	0.00213	5.0	0.001
	Beryllium (T)	ND	1.0	0.0002
	Cadmium (T)	0.00300	1.0	0.0002
	Chromium (T)	0.00365	5.0	0.001
	Copper (T)	0.103	2.0	0.005
	Mercury (T)	ND	0.2	0.0002
	Molybdenum (T)	ND	-	0.005
	Nickel (T)	0.0213	2.0	0.002
	Lead (T)	0.0374	1.5	0.001
	Antimony (T)	ND	-	0.005
	Selenium (T)	ND	1.0	0.001
	Thallium (T)	ND	-	0.005
	Zinc (T)	0.688	5.0	0.030

Hansen Fruit (Acct # 13195)										
10 E. Mead										
Fruit Packer										
SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH	Sulfate (mg/L) Limit 250 mg/L	TBZ (mg/L) Limit 50 mg/L	DPA	Penbotec (Pyrimethani l)	FOG
01/11/10	01/12/10	578	620	6.67		1				
01/12/10	01/13/10	297	84	6.57			0.60	<0.02	<0.02	11
01/13/10	01/14/10	138	187	6.86						
04/26/10	04/27/10	719	538	3.38						
04/27/10	04/28/10	543	558	4.17			2.28	<0.2	<0.2	
04/28/10	04/29/10	333	169	5.41	5.50	5				65

Hansen Fruit (Acct # 13195) continued										
10 E. Mead										
Fruit Packer										
SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH	Sulfate (mg/L) Limit 250 mg/L	TBZ (mg/L) Limit 50 mg/L	DPA	Penbotec (Pyrimethani l)	FOG
08/02/10	08/03/10	588	421	3.32		10				
08/03/10	08/04/10	399	343	3.03			1.85	<0.2	<0.2	
08/04/10	08/05/10	702	325	3.74						
08/05/10	08/05/10				7.08					6
10/25/10	10/26/10	<240	264	6.20						
10/26/10	10/27/10	132	211	6.34	6.51		1.12	<0.2	0.22	37
10/27/10	10/28/10	176	175	6.45						

Sample Date	TKN mg/L	Nitrate mg/L	Nitrite mg/L	Ammonia mg/L	Total Nitrogen mg/L	Total Phosphorus mg/L
1/12/2010	4.8	<0.07	<0.07	0.07	4.8	2.24
8/3/2010	8.1	0.15	<0.07	0.36	8.25	60.7

1/12/2010 Priority Pollutant Scan	
Chloroform	5.5 ug/L
Endosulfan I	0.05 ug/L
Endosulfan II	0.34 ug/L
Endosulfan sulfate	0/31 ug/L

Hansen Fruit (Priority Pollutant Metals)					
Sample Date	Parameter	Result (ug/L)	Result (mg/L)	Local Limits (mg/L)	Cascade Analytical MDL (ug/L)
1/12/2010	Silver (T)	<4.7	<.0047	5.0	4.70
	Arsenic (T)	<2	<.002	5.0	2.00
	Beryllium (T)	<.2	<0.002	1.0	0.20
	Cadmium (T)	<0.3	<0.0003	1.0	0.30
	Chromium (T)	<4.7	<.0047	5.0	4.70
	Copper (T)	7.35000	0.00735	2.0	2.00
	Mercury (T)	<0.3	<0.0003	0.2	0.30
	Molybdenum (T)	Not tested	Not tested	-	-
	Nickel (T)	<10	<0.010	2.0	<10
	Lead (T)	4.20000	0.0042	1.5	0.50
	Antimony (T)	<5	<0.005	-	5.00
	Selenium (T)	<5	<0.005	1.0	5.00
	Thallium (T)	<1	<0.001	-	1.00
	Zinc (T)	105.000	0.105	5.0	20.00
	Iron	1010	1.01		9.70
	Cyanide		0.011 mg/L		0.01 mg/L

Hansen Fruit 10 East Mead Avenue				
Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)
1/11/2010	Silver (T)	ND	5.0	0.0002
	Arsenic (T)	ND	5.0	0.001
	Beryllium (T)	ND	1.0	0.0002
	Cadmium (T)	ND	1.0	0.0002
	Chromium (T)	0.00764	5.0	0.001
	Copper (T)	0.00728	2.0	0.005
	Mercury (T)	0.00148	0.2	0.0002
	Molybdenum (T)	ND	-	0.005
	Nickel (T)	ND	2.0	0.002
	Lead (T)	ND	1.5	0.001
	Antimony (T)	ND	-	0.005
	Selenium (T)	0.00248	1.0	0.001
	Thallium (T)	ND	-	0.005
Zinc (T)	0.167	5.0	0.030	

Hops Extract (Iso - Downstream, DSP)307 N. 2nd Ave.
Hop Processing

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU) Limit 5.5-12.0	FOG	Comments
4/20/10	4/21/2010	444	41	8.93			
4/21/10	4/22/2010	610	335	5.77	9.76	257	
4/22/10	4/23/2010	216	42	10.51			
6/9/10						8	Follow-up FOG. Need to bill
7/13/10						13	Follow-up FOG. Need to bill

Hops Extract (Main, CO2)307 N. 2nd Ave.
Hop Processing

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU) Limit 5.5-12.0	FOG	Comments
4/20/10	4/21/2010	432	707	6.21			
4/21/10	4/22/2010	46	20	5.76	6.16	186	Violation letter 5/4/2010
4/22/10	4/23/2010	35	37	5.79			
						21	Follow-up FOG
						18	Follow-up FOG

Hops Extract - D.S.P.

Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)
4/20/2010	Silver (T)	0.0139	5.0	0.0002
	Arsenic (T)	ND	5.0	0.001
	Beryllium (T)	ND	1.0	0.0002
	Cadmium (T)	ND	1.0	0.0002
	Chromium (T)	ND	5.0	0.001
	Copper (T)	0.0125	2.0	0.005
	Mercury (T)	0.000661	0.2	0.0002
	Molybdenum (T)	ND	-	0.005
	Nickel (T)	ND	2.0	0.002
	Lead (T)	0.00442	1.5	0.001
	Antimony (T)	ND	-	0.005
	Selenium (T)	ND	1.0	0.001
	Thallium (T)	ND	-	0.005
	Zinc (T)	0.143	5.0	0.030

Hops Extract - Main

Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)
4/20/2010	Silver (T)	0.00437	5.0	0.0002
	Arsenic (T)	ND	5.0	0.001
	Beryllium (T)	ND	1.0	0.0002
	Cadmium (T)	0.000330	1.0	0.0002
	Chromium (T)	0.00131	5.0	0.001
	Copper (T)	0.0273	2.0	0.005
	Mercury (T)	0.000637	0.2	0.0002
	Molybdenum (T)	ND	-	0.005
	Nickel (T)	0.00340	2.0	0.002
	Lead (T)	ND	1.5	0.001
	Antimony (T)	ND	-	0.005
	Selenium (T)	ND	1.0	0.001
	Thallium (T)	ND	-	0.005
	Zinc (T)	0.165	5.0	0.030

Frosty Pack (Acct # 88146) formerly Jack Frost

2820 River Road

Fruit Packer

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS (mg/L)	pH (SU)	Grab pH (SU) Limit 5.5-12.0	Sulfate (total) mg/L Limit 250 mg/L	TBZ (mg/L) Limit 50 mg/L	DPA (mg/L) TBD	FOG (mg/L) Limit 100 mg/L
1/25/2010	1/26/2010	74	19	6.15			TBZ	DPA	FOG
1/26/2010	1/27/2010	49	15	7.30			<0.2	<0.2	36
1/27/2010	1/28/2010	184	22	6.55	6.38				
4/19/2010	4/20/2010	<120	76	6.78					
4/20/2010	4/21/2010	186	159	7.07			<0.2	5.14	22
4/21/2010	4/22/2010	152	133	6.41	7.10				
7/19/2010	7/20/2010	<120	54	8.01					
7/20/2010	7/21/2010	144	448	8.29			<0.2	<0.2	10
7/21/2010	7/22/2010	228	184	8.00					
7/22/2010	7/22/2010				8.08				
10/18/2010	10/19/2010	52	26	8.10					
10/19/2010	10/20/2010	<80	53	6.45		0.290	<0.2		18
10/20/2010	10/21/2010	143	191	7.78	7.45				

Frosty Pack Continued

	Total P mg/L	TKN mg/L	Nitrate mg/L	Nitrite mg/L	Ammonia mg/L	Total N mg/L
1/26/2010		0.54	1.5 <0.07	<0.07	<0.07	1.5
7/20/2010		6.86	28.2 <0.07		0.08	15.9 28.28

Priority Pollutant Scan 1/26/10

Chloroform 20 ug/L

Frosty Pack Continued Priority Pollutant Scan - Cascade Analytical						Frosty Pack continued Metals					
Sample Date	Parameter	Result (ug/L)	Result (mg/L)	Local Limits (mg/L)	Cascade Analytical (ug/L)	Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)	
1/26/2010	Arsenic	<2	<.002		2	1/25/2010	Silver (T)	ND	5.0	0.0002	
	Cadmium	<0.3	<0.0003		0.03		Arsenic (T)	0.00169	5.0	0.001	
	Chromium	<4.7	<0.047		4.7		Beryllium (T)	ND	1.0	0.0002	
	Lead	1.8	0.0018		0.05		Cadmium (T)	ND	1.0	0.0002	
	Iron	515	0.515		9.7		Chromium (T)	ND	5.0	0.001	
	Mercury	<0.3	<0.0003		0.3		Copper (T)	ND	2.0	0.005	
	Selenium	<5	<.005		5		Mercury (T)	0.00120	0.2	0.0002	
	Silver	<4.7	<.0047		4.7		Molybdenum (T)	ND	-	0.005	
	Copper	29.3	0.0293		2		Nickel (T)	ND	2.0	0.002	
	Zinc	89	0.089		20		Lead (T)	0.00703	1.5	0.001	
	Nickel	<10	<0.010		10		Antimony (T)	ND	-	0.005	
	Cyanide	<0.01	<0.00001		0.01		Selenium (T)	0.00389	1.0	0.001	
	Antimony	<1	<.001		1		Thallium (T)	ND	-	0.005	
	Beryllium	<5	<0.005		5		Zinc (T)	0.0750	5.0	0.030	
	Aluminum	<0.2	<0.0002		0.02						

Jeld-Wen 1123 N. 6th Ave. Plastics Molding and Forming Vacuum Seal Water - Tank Composite							
SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU) Limit 5.5-12.0	FOG (mg/L) Limit 100 mg/L	Comments
2/1/2010	2/2/2010	209	29	7.11			
2/2/2010	2/3/2010	208	24	5.96		42	
2/3/2010	2/4/2010	105	24	7.21			
2/4/2010					5.98		
4/12/2010	4/13/2010	<240	11	7.11			
4/13/2010	4/14/2010	<160	21	7.52		49	
4/14/2010	4/15/2010	<240	7	6.69	6.75		
7/26/2010	7/27/2010	<120	17	7.34			
7/27/2010	7/28/2010	128	21	6.93			
7/28/2010	7/29/2010	180	20	6.40	7.00	22	
10/25/2010	10/26/2010	81	10	6.02			
10/26/2010	10/27/2010	<80	4	6.45		21	
10/27/2010	10/28/2010	123	13	6.45			
10/28/2010					6.23		

Jeld-Wen (Account # 124365) 1123 N. 6th Ave. Plastics Molding and Forming Process Water (Extruder)						10/26/2010 Priority Pollutant Scan	
SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU) Limit 5.5-12.0	FOG (mg/L) Limit 100 mg/L	Comments
2/1/2010	2/2/2010	61	14	6.88			
4/14/2010	4/15/2010	40	5	7.36			
7/28/2010	7/29/2010	51	4	6.9			
10/27/2010	10/28/2010	34	6	6.37			
2/9/2011	2/9/2011	17	2	6.65			
						1,1-Dichloroethane	4.3 ug/L
						1,2-Dichloroethane	14 ug/L
						Phenols (T)	0.48 ug/L

Jeld Wen Continued**Metals**

Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	Cascade Analytical MDL (mg/L)
10/26/2010	Silver (T)	<0.0047	5.0	0.0047
	Arsenic (T)	<0.002	5.0	0.002
	Beryllium (T)	0.0004	1.0	0.0002
	Cadmium (T)	<0.0003	1.0	0.0003
	Chromium (T)	<0.0047	5.0	0.0047
	Copper (T)	0.0515	2.0	0.002
	Mercury (T)	<0.0003	0.2	0.0003
	Nickel (T)	<0.010	2.0	0.010
	Lead (T)	0.002	1.5	0.001
	Antimony (T)	<0.005	-	0.005
	Selenium (T)	<0.005	1.0	0.005
	Thallium (T)	<0.001	-	0.001
	Zinc (T)	0.101	5.0	0.005
	Cyanide	<0.00001	1.5	0.00001
	Aluminum (T)	<0.020	-	0.020
	Iron (T)	0.190	-	0.359

Jewel Apple
703 N First
Fruit Processor

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	Composite pH (SU)	pH grab sample	DPA	TBZ
1/4/2010	1/5/2010	3,075	141	7.99			
1/5/2010	1/6/2010	2,425	107	4.6		<0.2 mg/L 2nd warning 1/26/10	<0.2 mg/L
1/6/2010	1/7/2010	1,476	67	6.08	4.79		
1/7/2010	1/8/2010	<120	69	10.52			
2/1/2010	2/2/2010	<12	24	11.77			
2/2/2010	2/3/2010	2,363	88	5.72	9.83		
2/3/2010	2/4/2010	1,269	56	6.11			
2/4/2010	2/5/2010	<12	37	11.68			
2/10/2010					7.59		
2/19/2010					8.85		
2/24/2010					8.77		
3/1/2010	3/2/2010	>5760	264	10.1			
3/2/2010	3/3/2010	899	55	10.93	11.4		
3/3/2010	3/4/2010	1,485	78	9.9			
3/4/2010	3/5/2010	1,785	81	7.27			
4/12/2010	4/13/2010	2,325	123	7.38			
4/13/2010	4/14/2010	1,943	73	8.17		<0.2 mg/L	<0.2 mg/L
4/14/2010	4/15/2010	5,250	276	4.86	8.59		
4/15/2010	4/16/2010	828	29	7.07			
5/3/2010	5/4/2010	2,262	103	5.2			
5/4/2010	5/5/2010	5,400	318	5.5			
5/5/2010	5/6/2010	1,827	67	8.26	9.88		
5/6/2010	5/7/2010	2,024	94	5.54			
6/7/2010	6/8/2010	2,775	92	6.53			
6/8/2010	6/9/2010	1,725	29	10.71			
6/9/2010	6/10/2010	2,419	94	5.97	10.69		
6/10/2010	6/11/2010	2,598	85	6.56			
7/12/2010	7/13/2010	2,165	62	9.82			
7/13/2010	7/14/2010	3,000	115	4.36		<0.2 mg/L	<0.2 mg/L

Jewel Apple Continued

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	Composite pH (SU)	pH grab sample	DPA	TBZ
7/14/2010	7/15/2010	2,360	75	6.05	8.87		
7/15/2010	7/16/2010	1,690	97	7.16			
8/16/2010	8/17/2010	1,440	54	9.10			
8/17/2010	8/18/2010	1,960	95	9.51			
8/18/2010	8/19/2010	1,594	57	5.71	10.40		
8/19/2010	8/20/2010	2,475	92	6.59			
9/13/2010	9/14/2010	1,635	182	5.96			
9/14/2010	9/15/2010	792	231	4.39	5.29		
9/15/2010	9/16/2010	1,650	319	4.87			
9/16/2010	9/17/2010	2,075	354	5.00			
10/4/2010	10/5/2010	2,593	469	5.92			
10/5/2010	10/6/2010	3,975	274	5.50		<0.2 mg/L	<0.2 mg/L
10/6/2010	10/7/2010	2,243	106	5.85	9.46		
10/7/2010	10/8/2010	2,725	192	5.10			
11/15/2010	11/16/2010	690	97	7.85			
11/16/2010	11/17/2010	1,400	78	8.92			
11/17/2010	11/18/2010	1,988	175	9.09	10.20		
11/18/2010	11/19/2010	5,100	341	4.70			
12/6/2010	12/7/2010	5,063	134	6.43			
12/7/2010	12/8/2010	2,363	92	6.35			
12/8/2010	12/9/2010	2,858	80	9.04	10.45		
12/9/2010	12/10/2010	2,590	117	6.91			

John I Haas							
1112 N. 16th Ave.							
Hop Processing							
SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	pH GRAB (SU) Limit 5.5-12.0	Ammonia (mg/L)	FOG (mg/L)
2/1/2010	2/2/2010	255	289	7.34			
2/2/2010	2/3/2010	99	53	8.24	6.65		18
2/3/2010	2/4/2010	226	158	8.73			
4/5/2010	4/6/2010	309	110	8.59			
4/6/2010	4/7/2010	420	321	8.36	8.73		120
4/7/2010	4/8/2010	440	349	7.35			

Priority Pollutant Scan
sampled 2/2/ 10
Chloroform 13 ug/L
Aldrin 0.057 ug/L

ISO (Account # 67073)							
SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	pH GRAB (SU) Limit 5.5-12.0	Ammonia (mg/L)	FOG (mg/L)
7/26/2010	7/27/2010	609	67	8.40			
7/27/2010	7/28/2010	726	98	8.47	8.56		63
7/28/2010	7/29/2010	576	85	8.80			
10/11/2010	10/12/2010	336	2,783	10.47			
10/12/2010	10/13/2010	432	234	9.33	9.22		10
10/13/2010	10/14/2010	393	106	8.61			

John I Haas CO2 (Account # 58456)

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	pH GRAB (SU) Limit 5.5-12.0	Ammonia (mg/L)	FOG (mg/L)
7/26/2010	7/27/2010	<120	21	7.50			
7/27/2010	7/28/2010	1490	134	6.71	7.93		7
7/28/2010	7/29/2010	1489	28	6.18			
10/11/2010	10/12/2010	<12	3	8.37			
10/12/2010	10/13/2010	<12	6	7.56			8
10/13/2010	10/14/2010	<12	<1	7.02	6.11		
1/10/2011	1/11/2011	54	179	6.52			
1/11/2011	1/12/2011	9	3	7.30	6.31		8
1/12/2011	1/13/2011	176	3	7.26			

Sample Date	Parameter	Result (ug/L)	Result (mg/L)	Local Limits (mg/L)	Cascade Analytical (ug/L)
2/2/2010	Arsenic	<2	<.002		2
	Cadmium	<0.3	<0.0003		0.03
	Chromium	20.4	0.0204		4.7
	Lead	2.9	0.0029		0.05
	Iron	720	0.72		9.7
	Mercury	<0.3	<0.0003		0.3
	Selenium	<5	<.005		5
	Silver	<4.7	<.0047		4.7
	Copper	30.5	0.0305		2
	Zinc	51	0.051		20
	Nickel	<10	<0.010		10
	Cyanide	<0.01	<0.00001		0.01
	Thallium	<1	<.001		1
	Antimony	<5	<.001		1
	Beryllium	<0.2	<0.005		5
	Aluminum	496	<0.0002		0.02

Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)
2/1/2010	Silver (T)	0.00246	5.0	0.0002
	Arsenic (T)	0.00549	5.0	0.001
	Beryllium (T)	ND	1.0	0.0002
	Cadmium (T)	ND	1.0	0.0002
	Chromium (T)	0.236	5.0	0.001
	Copper (T)	0.0151	2.0	0.005
	Mercury (T)	ND	0.2	0.0002
	Molybdenum (T)	0.0147	-	0.005
	Nickel (T)	0.142	2.0	0.002
	Lead (T)	0.00778	1.5	0.001
	Antimony (T)	ND	-	0.005
	Selenium (T)	ND	1.0	0.001
	Thallium (T)	ND	-	0.005
Zinc (T)	0.0653	5.0	0.030	

Longview Fibre (Account # 20768)

2001 Longview Fibre Rd.

Box Plant

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU) Limit 5.5-12.0	FOG	Parameter Limit in mg/L
2/8/2010	2/9/2010	1,838	827	10.96			
2/9/2010	2/10/2010	1,520	2,820	10.62			
2/10/2010	2/11/2010	1,380	1,312	9.15	8.99	67	
4/12/2010	4/13/2010	828	1,656	8.38			
4/13/2010	4/14/2010	596	939	8.17		88	
4/14/2010	4/15/2010	977	1,215	8.54			
4/15/2010	4/15/2010				7.29		
7/12/2010	7/13/2010	5,775	731	5.23			
7/13/2010	7/14/2010	1,880	1,406	8.38			
7/14/2010	7/15/2010	1,200	1,050	7.66	8.88	22	
10/11/2010	10/12/2010	1,500	2,713	8.22			
10/12/2010	10/13/2010	1,875	2,120	8.39			
10/13/2010	10/14/2010	1,707	2,624	8.56		71	
10/14/2010	10/14/2010				7.20		

Longview Fibre				
2001 Longfibre Avenue				
Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)
4/12/2010	Copper (T)	0.277	2.0	0.005
7/12/2010	Copper (T)	0.0284	2.0	0.005
10/11/2010	Copper (T)	0.526	2.0	0.005

Longview Fibre 2001 Longfibre Avenue Paper Production					Longview Fibre 2001 Longfibre Avenue Paper Production				
Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)	Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)
Longview Fibre (cont) 2/8/2010	Silver (T)	0.00206	5.0	0.0002	7/12/2010	Silver (T)	0.0284	5.0	0.0002
	Arsenic (T)	0.00151	5.0	0.001		Arsenic (T)		5.0	0.001
	Beryllium (T)	ND	1.0	0.0002		Beryllium (T)		1.0	0.0002
	Cadmium (T)	ND	1.0	0.0002		Cadmium (T)		1.0	0.0002
	Chromium (T)	ND	5.0	0.001		Chromium (T)		5.0	0.001
	Copper (T)	0.0853	2.0	0.005		Copper (T)		2.0	0.005
	Mercury (T)	ND	0.2	0.0002		Mercury (T)		0.2	0.0002
	Molybdenum (T)	0.0274	-	0.005		Molybdenum (T)		-	0.005
	Nickel (T)	0.00350	2.0	0.002		Nickel (T)		2.0	0.002
	Lead (T)	0.00552	1.5	0.001		Lead (T)		1.5	0.001
	Antimony (T)	ND	-	0.005		Antimony (T)		-	0.005
	Selenium (T)	ND	1.0	0.001		Selenium (T)		1.0	0.001
	Thallium (T)	ND	-	0.005		Thallium (T)		-	0.005
	Zinc (T)	0.0944	5.0	0.030		Zinc (T)		5.0	0.030

Michelsen's
922 N. 1st Ave.
Paper Board Manufacture

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU) Limit 5.5-12.0	TDS (mg/L)	FOG (Limit 100 mg/L)	Comment
1/26/10	1/27/10	7,200	438	7.06		10,820		
1/27/10	1/28/10	4,088	200	7.05	6.83		21	
1/28/10	1/29/10	3,563	419	7.02		6,040		
6/22/10	6/23/2010	>1500	254	6.42		11,843		
6/23/10	6/24/2010	7,950	431	6.86	6.61		10	
6/24/10	6/25/2010							
7/6/10	7/7/2010	1,176	277	7.00				
7/7/10	7/8/2010				7.15		8	
7/20/10	7/21/2010	4,913	288	7.25		12,192		
7/21/10	7/22/2010	6,150	329	7.26	7.00		9	
7/22/10	7/23/2010	4,538	208	7.20				
10/12/10	12/13/2010	4,500	276	6.79		9,814		
10/13/10	12/14/2010	4,050	152	7.07	6.56	8,548	14	

Michelsen's Packaging continued					Michelsen's Packaging continued				
Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)	Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)
1/26/2010	Silver (T)	0.00467	5.0	0.0002	6/22/2010	Silver (T)	0.0126	5.0	0.0002
	Arsenic (T)	0.00849	5.0	0.001		Arsenic (T)	0.00999	5.0	0.001
	Beryllium (T)	0.000214	1.0	0.0002		Beryllium (T)	0.00124	1.0	0.0002
	Cadmium (T)	ND	1.0	0.0002		Cadmium (T)	ND	1.0	0.0002
	Chromium (T)	0.00510	5.0	0.001		Chromium (T)	0.00247	5.0	0.001
	Copper (T)	ND	2.0	0.005		Copper (T)	0.0175	2.0	0.005
	Mercury (T)	ND	0.2	0.0002		Mercury (T)	ND	0.2	0.0002
	Molybdenum (T)	0.298	-	0.005		Molybdenum (T)	0.117	-	0.005
	Nickel (T)	0.00847	2.0	0.002		Nickel (T)	0.0154	2.0	0.002
	Lead (T)	0.00806	1.5	0.001		Lead (T)	0.00339	1.5	0.001
	Antimony (T)	ND	-	0.005		Antimony (T)	ND	-	0.005
	Selenium (T)	0.00490	1.0	0.001		Selenium (T)	ND	1.0	0.001
	Thallium (T)	ND	-	0.005		Thallium (T)	ND	-	0.005
	Zinc (T)	0.436	5.0	0.030		Zinc (T)	0.301	5.0	0.030

Noel Canning (Account # 142428)						
1011 S. 3rd St.						
Soda Manufacturing						
SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU) Limit 5.5-12.0	FOG
Noel canning send metals results 1/4/10.						
4/5/2010	4/6/2010	2007	27	5.78		
4/6/2010	4/7/2010	1763	15	6.27		12
4/7/2010	4/8/2010	1113	14	6.66		
4/8/2010	4/8/2010				6.44	

Orchard Rite (Account # 101212)								
1702 Englewood Ave.								
Metal Finisher								
SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU) Limit 5.5-12.0	FOG (mg/L) Limit 100 mg/L	Cyanide (mg/L) Limit	Parameter
4/5/2010	4/6/2010	204	23	8.59				
4/6/2010	4/7/2010	247	28	8.68		29	<0.01	
4/7/2010	4/8/2010	299	18	8.57	8.62			
10/4/2010	10/5/2010	485	78	9.04				
10/5/2010	10/6/2010	417	44	8.85		22	<0.01	
10/6/2010	10/7/2010	427	15	8.86	8.79			

Orchard Rite	Results 4/6/2010	Results 10/5/2010
Total Phosphorus mg/L	304	505
Kjeldahl Total Nitrogen mg/L	18.9	14.9
Nitrate mg/L	0.08	0.07
Nitrite mg/L	<0.07 mg/L	0.12
Ammonia mg/L	0.95 mg/L	<0.07 mg/L
Total Nitrogen mg/L	18.98	15.09

Orchard Rite Continued 1702 Englewood Avenue				
Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)
4/6/2010	Silver (T)	0.00853	5.0	0.0002
	Arsenic (T)	0.00192	5.0	0.001
	Beryllium (T)	0.000323	1.0	0.0002
	Cadmium (T)	ND	1.0	0.0002
	Chromium (T)	ND	5.0	0.001
	Copper (T)	0.0556	2.0	0.005
	Mercury (T)	0.000970	0.2	0.0002
	Molybdenum (T)	0.0117	-	0.005
	Nickel (T)	0.0326	2.0	0.002
	Lead (T)	ND	1.5	0.001
	Antimony (T)	ND	-	0.005
	Selenium (T)	ND	1.0	0.001
	Thallium (T)	ND	-	0.005
	Zinc (T)	0.0197	5.0	0.030

Orchard Rite Continued 1702 Englewood Avenue				
Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)
10/5/2010	Silver (T)	0.0122	5.0	0.0002
	Arsenic (T)	ND	5.0	0.001
	Beryllium (T)	ND	1.0	0.0002
	Cadmium (T)	ND	1.0	0.0002
	Chromium (T)	ND	5.0	0.001
	Copper (T)	0.0476	2.0	0.005
	Mercury (T)	ND	0.2	0.0002
	Molybdenum (T)	0.0161	-	0.005
	Nickel (T)	0.0103	2.0	0.002
	Lead (T)	ND	1.5	0.001
	Antimony (T)	ND	-	0.005
	Selenium (T)	ND	1.0	0.001
	Thallium (T)	ND	-	0.005
	Zinc (T)	0.0433	5.0	0.030

Prentice Packing (Account # 10494)

202 N. 1st Ave.

Fruit Packer

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH			DPA	SOPP	FOG
					(SU) Limit 5.5-12.0	Sulfate (mg/L) Limit 250 mg/L	TBZ (mg/L) Limit 50 mg/L			
1/12/2010	1/13/2010	146	57	6.79		2	0.496			
1/13/2010	1/14/2010	93	45	7.30	6.45					
1/14/2010	1/15/2010	102	68	6.84						
9/21/2010	9/22/2010	150	45	10.00		0	<0.04			
9/22/2010	9/23/2010	<240	110	10.85	10		.			
9/23/2010	9/24/2010	120	168	10.81						
11/2/2010	11/3/2010	222	324	7.08			1.26	<0.2	<0.2	
11/3/2010	11/4/2010	180	43	7.46	6.41	Not required with new permit.				11
11/4/2010	11/5/2010	255	124	7.31						

600 N. 1st Ave.

Fruit Packer

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU) Limit 5.5-12.0	Sulfate (mg/L) Limit 250 mg/L	TBZ (mg/L) Limit 50 mg/L	DPA	FOG (mg/L) Limit 100 mg/L
1/5/2010	1/6/2010	150	176	5.82		15	0.386		
1/6/2010	1/7/2010	<120	452	6.37	8.72				
1/7/2010	1/8/2010	<120	617	4.08					
4/6/2010	4/7/2010	71	84	10.72		9			
4/7/2010	4/8/2010	69	186	10.65	11.38		0.238		
4/8/2010	4/9/2010	227	219	9.56					
7/20/2010	7/21/2010	126	80	8.99			0.420	<0.2	
7/21/2010	7/22/2010	462	216	9.02	6.25	13			
7/22/2010	7/23/2010	138	38	10.73					

	Total Phosphorus (mg/L)	TKN (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Ammonia (mg/L)	Total Nitrogen	TBZ (mg/L) Limit 50 mg/L	DPA	FOG (mg/L) Limit 100 mg/L
7/20/2010	0.43	1.4	<0.07	<0.07	<0.07	1.4			
10/19/2010	10/20/2010	84	86	9.05			<0.2	<0.2	
10/20/2010	10/21/2010	198	259	7.39	9.16				26
10/21/2010	10/22/2010	336	403	6.06					
10/19/2010	0.31	1.1	<0.07	0.09	0.11	1.19			

10/20/2010	Chloroform	9.7 ug/L
	Bis(2-ethylexyl)phthalate	98 ug/L
	Phenols (T)	0.027 mg/L
	Phenolics, T. Recoverable	0.027 mg/L

Roche Fruit #13 Continued				
Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)
7/20/2010	Silver (T)	0.00539	5.0	0.0002
	Arsenic (T)	0.00270	5.0	0.001
	Beryllium (T)	ND	1.0	0.0002
	Cadmium (T)	ND	1.0	0.0002
	Chromium (T)	0.00601	5.0	0.001
	Copper (T)	ND	2.0	0.005
	Mercury (T)	ND	0.2	0.0002
	Molybdenum (T)	ND	-	0.005
	Nickel (T)	0.00588	2.0	0.002
	Lead (T)	ND	1.5	0.001
	Antimony (T)	ND	-	0.005
	Selenium (T)	ND	1.0	0.001
	Thallium (T)	ND	-	0.005
	Zinc (T)	0.243	5.0	0.030

Roche Fruit #13 continued				
Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	Cascade Analytical MDL (mg/L)
10/20/2010	Silver (T)	<0.0047	5.0	0.0047
	Arsenic (T)	<0.002	5.0	0.002
	Beryllium (T)	<0.0002	1.0	0.0002
	Cadmium (T)	<0.0003	1.0	0.0003
	Chromium (T)	<0.0047	5.0	0.0047
	Copper (T)	0.00665	2.0	0.002
	Mercury (T)	<0.0003	0.2	0.0003
	Nickel (T)	<0.010	2.0	0.010
	Lead (T)	<0.0005	1.5	0.001
	Antimony (T)	<0.005	-	0.005
	Selenium (T)	<0.005	1.0	0.005
	Thallium (T)	<0.001	-	0.001
	Zinc (T)	0.136	5.0	0.005
	Cyanide	<0.00001	1.5	0.00001
	Aluminum (T)	0.180	-	0.020
	Iron (T)	0.359	-	0.359

Roche Fruit #46 (Account # 10726)										
3rd Ave. and Poplar										
Fruit Packer										
SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU) Limit 5.5-12.0	Sulfate (mg/L) Limit 250 mg/L	TBZ (mg/L) Limit 50 mg/L	DPA	Comments	FOG (mg/L) Limit 100 mg/L
4/6/2010	4/7/2010	93	144	8.48		5				
4/7/2010	4/8/2010	258	224	7.76	6.37		6.64			
4/8/2010	4/9/2010	327	160	7.31						
						FOG (mg/L)			DPA	
7/20/2010	7/21/2010	216	88	7.21						
7/21/2010	7/22/2010	279	242	7.59	7.15	7	1.74	<0.2		
7/22/2010	7/23/2010	<120	37	7.95						
	Total Phosphorus (mg/L)	TKN (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Ammonia (mg/L)	Total Nitrogen	TBZ (mg/L) Limit 50 mg/L	DPA		FOG (mg/L) Limit 100 mg/L
7/20/2010	1.27	4.5	0.28	<0.07	<0.07	4.78				
10/19/2010	10/21/2010	53	144	7.28			0.688	0.214		
10/20/2010	10/22/2010	96	73	7.21	6.83					10
10/21/2010	10/23/2010	192	228	6.77						
10/19/2010	3.22	7.8	0.32	0.07	0.55	8.19				

10/20/2010	Chloroform	120 ug/L
	1,4-Dichlorobenzene	12 ug/L
	2,4,6-Trichlorophenol	5.8 ug/L
	Bis(2-ethylexyl)phthalate	25 ug/L
	N-Nitrosodiphenylamine	8.5 ug/L
	alpha-BHC	0.014 ug/L
	Gamma-BHC (Lindane)	0.12 ug/L
	Phenolics, T. Recoverable	0.0089 mg/L

Roche Fruit #46 Continued				
Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)
7/20/2010	Silver (T)	0.00302	5.0	0.0002
	Arsenic (T)	0.00221	5.0	0.001
	Beryllium (T)	ND	1.0	0.0002
	Cadmium (T)	ND	1.0	0.0002
	Chromium (T)	0.00818	5.0	0.001
	Copper (T)	ND	2.0	0.005
	Mercury (T)	ND	0.2	0.0002
	Molybdenum (T)	ND	-	0.005
	Nickel (T)	0.00381	2.0	0.002
	Lead (T)	ND	1.5	0.001
	Antimony (T)	ND	-	0.005
	Selenium (T)	ND	1.0	0.001
	Thallium (T)	ND	-	0.005
	Zinc (T)	0.283	5.0	0.030

Roche Fruit #46 Continued				
Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	Cascade Analytical MDL (mg/L)
10/20/2010	Silver (T)	<0.0047	5.0	0.0047
	Arsenic (T)	<0.002	5.0	0.00200
	Beryllium (T)	<0.0002	1.0	0.0002
	Cadmium (T)	<0.0003	1.0	0.0003
	Chromium (T)	0.0084	5.0	0.0047
	Copper (T)	0.00790	2.0	0.00200
	Mercury (T)	<0.0003	0.2	0.00030
	Nickel (T)	<0.010	2.0	0.01000
	Lead (T)	0.0013	1.5	0.0005
	Antimony (T)	<0.005	-	0.00500
	Selenium (T)	<0.005	1.0	0.00500
	Thallium (T)	<0.001	-	0.00100
	Zinc (T)	0.470	5.0	0.005
	Cyanide	<0.00001	1.5	0.00001
	Aluminum (T)	0.300	-	0.020
	Iron (T)	0.875	-	0.0097

Seneca Foods
2418 River Rd.
Food Preparations

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU)	FOG (mg/L)	VIOLATION	Comments
1/4/2010	1/5/2010	960	530	10.87				
1/5/2010	1/6/2010	396	94	10.95				
1/6/2010	1/7/2010	624	63	10.89	9.22	20		
1/7/2010	1/8/2010	648	172	10.95				
2/1/2010	2/2/2010	4,085	65	5.28				
2/2/2010	2/3/2010	3,600	192	9.37				
2/3/2010	2/4/2010	2,560	36	9.66	6.68			
2/8/2010	-	No Flow - No Sample						
2/9/2010	2/5/2010	4,013	87	9.45				
3/1/2010	-	No Flow - No Sample						
3/2/2010	3/3/2010	6,900	59	9.02				
3/3/2010	3/4/2010	10,275	164	9.25	10.83			
3/8/2010	3/9/2010	937	45	10.35				
3/9/2010	3/10/2010	3,375	47	9.81				
4/12/2010	4/13/2010	684	61	11.35				
4/13/2010	4/14/2010	780	49	10.79	11.47	7		
4/14/2010	4/15/2010	<240	38	9.85				
4/15/2010	4/16/2010	3,975	68	10.45				
5/4/2010	5/5/2010	5,400	170	10.19	10.13	6		
5/5/2010	5/6/2010	4,200	42	10.13				
5/6/2010	5/7/2010	5,564	520	9.45				
5/7/2010	5/8/2010	2,525	77	10.56				
6/7/2010	6/11/2010	5,475	49	9.44				
6/8/2010	6/12/2010	6,100	48	9.56				
6/9/2010	6/13/2010	6,075	63	10.45	4.30		6/9/10 Contacted Seneca re: low pH.	
6/10/2010	6/14/2010	4,575	206	10.93				
6/21/2010	6/21/2010				10.84		1st follow-up	
6/30/2010	6/30/2010				10.55		2nd follow-up	
7/20/2010							3	
7/20/2010	7/21/2010	324	44	10.99	10.10		3rd follow-up	

Seneca Continued

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU)	FOG (mg/L)	VIOLATION	Comments
7/22/2010	7/23/2010	456	115	10.42				
7/29/2010	7/29/2010				10.05	4th follow-up		
8/16/2010	8/17/2010	2,291	58	10.59				
8/17/2010	8/18/2010	4,800	207	10.39				
8/18/2010	8/19/2010	3,113	94	10.64	11.07			
8/19/2010	8/20/2010	4,125	218	10.55				
9/13/2010	9/14/2010	276	60	9.30				
9/14/2010	9/15/2010	<240	38	9.32	5.67			
9/15/2010	9/16/2010	528	189	11.55				
9/16/2010	9/17/2010	4,275	83	11.44				
10/5/2010	10/6/2010	2,855	155	11.62	6.58	4		
10/6/2010	10/7/2010	3,450	203	9.19				
10/7/2010	10/8/2010	558	90	10.67				
10/8/2010	10/9/2010	276	64	11.22				
11/15/2010	11/16/2010	276	43	10.75				
11/16/2010	11/17/2010	660	82	9.65	11.22			
11/17/2010	11/18/2010	1,520	43	11.30				
11/18/2010	11/19/2010	6,150	153	10.72				
12/6/2010	12/7/2010	2,865	37	11.60				
12/7/2010	12/8/2010	3,857	30	11.93				
12/8/2010	12/9/2010	6,057	57	11.38	11.25			
12/9/2010	12/10/2010	7,400	94	10.29				

Sample date	Test date	TKN mg/L	Nitrate (mg/L)	Nitrite (mg/L)	Ammonia (mg/L)	Total Phosphorus (mg/L)	Total Nitrogen (mg/L)	SOLUBLE BOD (mg/L)	SOLUBLE BOD AVE. (mg/L)
1/6/2010	1/7/2010		0.24	<0.07	0.82	3.07			

Seneca Continued				
2418 River Road				
Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)
1/4/2010	Silver (T)	ND	5.0	0.0002
	Arsenic (T)	ND	5.0	0.001
	Beryllium (T)	ND	1.0	0.0002
	Cadmium (T)	0.000512	1.0	0.0002
	Chromium (T)	0.0341	5.0	0.001
	Copper (T)	0.0413	2.0	0.005
	Mercury (T)	0.00128	0.2	0.0002
	Molybdenum (T)	ND	-	0.005
	Nickel (T)	ND	2.0	0.002
	Lead (T)	0.0859	1.5	0.001
	Antimony (T)	ND	-	0.005
	Selenium (T)	0.00362	1.0	0.001
	Thallium (T)	ND	-	0.005
	Zinc (T)	0.766	5.0	0.030

Washington Fruit (Account # 66503)

2101 N. 1st Ave.

Fruit Packer

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH	FOG (mg/L)	Sulfate (mg/L)	TBZ (mg/L)	Limit 100 mg/L	DPA (mg/L)	Captan
					(SU) Limit 5.5-12.0	Limit 100 mg/L	Limit <250 mg/L			Limit TBD	(mg/L) Limit 0.001 mg/L
1/11/2010	1/12/2010	268	182	10.04							
1/12/2010	1/13/2010	428	573	7.25		52	5		14	<0.2	ND
1/13/2010	1/14/2010	372	355	8.08							
1/14/2010	1/14/2010				12.38						
								1st violation after installing the emmitor.			
								Warning issued 2/2/10			
2/8/2010					7.40			Follow-up pH			
2/29/10					6.44			Follow-up pH			
3/1/2010					5.81			Follow-up pH			
3/15/2010					7.12			Follow-up pH			
4/26/2010	4/27/2010	669	246	6.78			6		4.4	<0.2	ND
4/27/2010	4/28/2010	760	620	6.96	7.03	106					
4/28/2010	4/29/2010	222	216	7.72							
8/2/2010	8/3/2010	552	129	7.93			4				
8/3/2010	8/4/2010	312	271	6.98		45			1.14	<0.2	
8/4/2010	8/5/2010	<240	236	6.95	6.83						
10/25/2010	10/26/2010	<120	100	6.84			11				
10/26/2010	10/27/2010	255	136	6.67		43			0.206	<0.2	ND
10/27/2010	10/28/2010	80	126	7.08	6.26						

	Total Phosphorus (mg/L)	TKN (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Ammonia (mg/L)	Total Nitrogen	Sulfate (mg/L)	TBZ (mg/L)	Limit 100 mg/L	DPA (mg/L)	Captan
							Limit <250 mg/L			Limit TBD	(mg/L) Limit 0.001 mg/L
8/2/2010	10.2	5	<0.07	<0.07	<0.07	5					
10/26/2010	9.6	3.6	<0.07	<0.07	0.07	3.6					

Washington Fruit 1st Ave. Continued		
Priority Pollutant Scan Results		ug/L
	Chloroform	32
	Octadecane	3.2
	Aldrin	0.038
	Dieldrin	0.068
	Endosulfan I	0.068
	Endosulfan II	0.55
	Endosulfan sulfate	0.48
	Phenols, Total	0.007
	Phenols, Total Recoverable	0.007

Washington Fruit 1st Ave. Continued			
Sample Date	Parameter	Result (ug/L)	Cascade Analytical MDL (mg/L)
8/2/2010	Arsenic (T)	<2	2
	Cadmium (T)	<0.3	0.3
	Chromium (T)	5.2	4.7
	Lead (T)	1.2	0.5
	Iron (T)	1300.0	9.7
	Mercury (T)	<0.3	0.3
	Selenium (T)	<5	4
	Silver (T)	<4.7	4.7
	Copper (T)	19.8	2
	Zinc (T)	184.0	5
	Nickel (T)	<10	10
	Cyanide (T)	<0.01	0.01
	Antimony	<5	5.000
	Beryllium (T)	<0.2	0.02
	Aluminum (T)	960.0	20

Washington Fruit 1st Ave. Continued				
Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)
8/2/2010	Silver (T)	0.00285	5.0	0.0002
	Arsenic (T)	0.00176	5.0	0.001
	Beryllium (T)	ND	1.0	0.0002
	Cadmium (T)	ND	1.0	0.0002
	Chromium (T)	0.00800	5.0	0.001
	Copper (T)	0.0349	2.0	0.005
	Mercury (T)	ND	0.2	0.0002
	Molybdenum (T)	ND	-	0.005
	Nickel (T)	0.00370	2.0	0.002
	Lead (T)	0.00226	1.5	0.001
	Antimony (T)	ND	-	0.005
	Selenium (T)	ND	1.0	0.001
	Thallium (T)	ND	-	0.005
	Zinc (T)	0.394	5.0	0.030

Washington Fruit River Road									
1007 River Rd.									
Fruit Packer									
SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU) Limit 5.5-12.0	FOG (mg/L) Limit 100 mg/L	TBZ (mg/L) Limit 100 mg/L	DPA (mg/L)	Limit TBD
11/29/2010	11/30/2010	345	196	8.7		63			
11/30/2010		*	*	*			3.6		<0.2
12/1/2010		*	*	*					
11/30/2010	1/0/1900				6.87				

* NON REPRESENTATIVE SAMPLE- VOID

Total Phosphorus (mg/L)	TKN (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Ammonia (mg/L)	Total Nitrogen	
11/30/2010	39.4	8.6	0.22	<0.1	0.58	8.82

Washington Fruit River Rd				
Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)
11/29/2010	Silver (T)	0.00553	5.0	0.0002
	Arsenic (T)	ND	5.0	0.001
	Beryllium (T)	ND	1.0	0.0002
	Cadmium (T)	0.000362	1.0	0.0002
	Chromium (T)	0.0113	5.0	0.001
	Copper (T)	0.0339	2.0	0.005
	Mercury (T)	ND	0.2	0.0002
	Molybdenum (T)	0.0161	-	0.005
	Nickel (T)	0.00400	2.0	0.002
	Lead (T)	ND	1.5	0.001
	Antimony (T)	ND	-	0.005
	Selenium (T)	ND	1.0	0.001
	Thallium (T)	ND	-	0.005
	Zinc (T)	0.536	5.0	0.030

Western Sweet Cherry Group (formerly LL Lancaster Fruit Company) (Acct # 88724)

5104 W Nob Hill

Fruit Packer

SAMPLE DATE	TEST DATE	BOD (mg/L)	TSS mg/L	pH (SU)	Grab pH (SU) Limit 5.5-12.0	Sulfate (total) mg/L Limit 250 mg/L	TBZ (mg/L)	FOG
6/23/2010	6/24/2010	126	134	8.14	7.74	50	<0.2	
6/24/2010	6/25/2010	132	61	8.05				
6/25/2010	6/26/2010	126	134	8.14				
7/12/2010	7/13/2010	125	25	8.04				
7/13/2010	7/14/2010	109	53	8.11	8.26			10
7/14/2010	7/15/2010	162	82	7.96				

SAMPLE DATE	TKN mg/L	Nitrate (mg/L)	Nitrite (mg/L)	Ammonia (mg/L0)	Total Phosphorus (mg/L)
7/12/2010	2.9	4.87	<0.07	<0.07	2.13

Western Sweet Cherry Priority Pollutant Scan	
7/9/2010	Detected results
	Chloroform 19 ug/L
	Bromodichloromethane 2.8 ug/L
	Dibromochloromethane 2.0 ug/L

Western Sweet Cherry				
5015 West Nob Hill				
Sample Date	Parameter	Result (mg/L)	Local Limits (mg/L)	City of Yakima MDL (mg/L)
7/12/2010	Silver (T)	0.00877	5.0	0.0002
	Arsenic (T)	0.00367	5.0	0.001
	Beryllium (T)	ND	1.0	0.0002
	Cadmium (T)	ND	1.0	0.0002
	Chromium (T)	0.0198	5.0	0.001
	Copper (T)	0.0276	2.0	0.005
	Mercury (T)	ND	0.2	0.0002
	Molybdenum (T)	ND	-	0.005
	Nickel (T)	0.00861	2.0	0.002
	Lead (T)	ND	1.5	0.001
	Antimony (T)	ND	-	0.005
	Selenium (T)	ND	1.0	0.001
	Thallium (T)	ND	-	0.005
	Zinc (T)	0.108	5.0	0.030

